



BMI-for-age Percentiles by Age Group NC-NPASS* 2003



*North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.


Percent of Children At-Risk for Overweight ¹ by Age Group by Year (1995 to 2003), NC-NPASS ²



(1) BMI-for-Age Percentiles ≥ 85 th and < 95 th Percentile

(2) North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.


Percent of Children Who Are Overweight¹ by Age Group by Year (1995 to 2003), NC-NPASS²



(1) BMI-for-Age Percentiles \geq 95th Percentile

(2) North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.

Annual Rate of Change¹ in the Percent of Children At-Risk for Overweight² by Age Group by year (1995 to 2003), NC-NPASS³




(1) Rate of change is based on the preceding year's prevalence

(2) BMI-for-Age Percentiles (\geq 85th and $<$ 95th Percentile)

(3) North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.

Annual Rate of Change¹ in the Percent of Children Who are Overweight² by Age Group by year (1995 to 2003), NC-NPASS³




(1) Rate of change is based on the preceding year's prevalence

(2) BMI-for-Age Percentiles (≥ 95 th Percentile)

(3) North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.


Percent of Children 2 to 4 Years of Age Who Are Overweight¹, NC-NPASS² 2003



¹ BMI-for-Age Percentile ≥ 95 th

² North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.



Percent of Children 5 to 11 Years of Age Who Are Overweight¹, NC-NPASS² 2003



¹ BMI-for-Age Percentile ≥ 95 th

² North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.

Percent of Children 12 to 18 Years of Age Who Are Overweight¹, NC-NPASS² 2003



¹ BMI-for-Age Percentile ≥ 95 th

² North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.

**Table 1. Overweight (BMI >=95th Percentile)
Children by Age, Race, and Gender, NC-NPASS* 2003**

RACE	AGE	GENDER						ALL CHILDREN		
		MALE			FEMALE			Overweight	Total	Overweight
		Overweight	Total	Overweight	Overweight	Total	Overweight			
		#	#	%	#	#	%	#	#	%
WHITE	2-4	3,121	21,161	14.7%	3,105	20,865	14.9%	6,226	42,026	14.8%
	5-11	853	3,603	23.7%	740	3,525	21.0%	1,593	7,128	22.3%
	12-18	492	1,779	27.7%	502	2,132	23.5%	994	3,911	25.4%
	2-18	4,466	26,543	16.8%	4,347	26,522	16.4%	8,813	53,065	16.6%
BLACK	2-4	1,813	14,502	12.5%	2,067	14,763	14.0%	3,880	29,265	13.3%
	5-11	520	2,363	22.0%	548	2,339	23.4%	1,068	4,702	22.7%
	12-18	393	1,486	26.4%	507	1,722	29.4%	900	3,208	28.1%
	2-18	2,726	18,351	14.9%	3,122	18,824	16.6%	5,848	37,175	15.7%
AMERICAN INDIAN	2-4	114	838	13.6%	107	796	13.4%	221	1,634	13.5%
	5-11	30	131	22.9%	24	143	16.8%	54	274	19.7%
	12-18	52	132	39.4%	48	208	23.1%	100	340	29.4%
	2-18	196	1,101	17.8%	179	1,147	15.6%	375	2,248	16.7%
ASIAN/PACIFIC ISLANDER	2-4	272	1,527	17.8%	263	1,483	17.7%	535	3,010	17.8%
	5-11	68	213	31.9%	37	169	21.9%	105	382	27.5%
	12-18	23	87	26.4%	17	79	21.5%	40	166	24.1%
	2-18	363	1,827	19.9%	317	1,731	18.3%	680	3,558	19.1%
Unknown	2-4	112	657	17.0%	124	663	18.7%	236	1,320	17.9%
	5-11	89	314	28.3%	87	359	24.2%	176	673	26.2%
	12-18	15	71	21.1%	11	89	12.4%	26	160	16.3%
	2-18	216	1,042	20.7%	222	1,111	20.0%	438	2,153	20.3%
TOTAL	2-4	5,432	38,685	14.0%	5,666	38,570	14.7%	11,098	77,255	14.4%
	5-11	1,560	6,625	23.5%	1,436	6,535	22.0%	2,996	13,160	22.8%
	12-18	976	3,556	27.4%	1,085	4,230	25.7%	2,061	7,786	26.5%
	2-18	7,968	48,866	16.3%	8,187	49,335	16.6%	16,155	98,201	16.5%


**Table 2. Overweight (BMI >=95th Percentile)
Children by Age, Hispanicity, and Gender, NC-NPASS* 2003**

RACE	AGE	GENDER						ALL CHILDREN		
		MALE			FEMALE			Overweight	Total	Overweight
		Overweight	Total	Overweight	Overweight	Total	Overweight			
		#	#	%	#	#	%	#	#	%
Hispanic	2-4	1,643	9,095	18.1%	1,775	8,975	19.8%	3,418	18,070	18.9%
	5-11	532	1,818	29.3%	400	1,768	22.6%	932	3,586	26.0%
	12-18	106	398	26.6%	88	446	19.7%	194	844	23.0%
	2-18	2,281	11,311	20.2%	2,263	11,189	20.2%	4,544	22,500	20.2%
Non-Hispanic	2-4	3,789	29,588	12.8%	3,891	29,592	13.1%	7,680	59,180	13.0%
	5-11	1,028	4,804	21.4%	1,035	4,763	21.7%	2,063	9,567	21.6%
	12-18	868	3,155	27.5%	995	3,777	26.3%	1,863	6,932	26.9%
	2-18	5,685	37,547	15.1%	5,921	38,132	15.5%	11,606	75,679	15.3%
TOTAL	2-4	5,432	38,685	14.0%	5,666	38,570	14.7%	11,098	77,255	14.4%
	5-11	1,560	6,625	23.5%	1,436	6,535	22.0%	2,996	13,160	22.8%
	12-18	976	3,556	27.4%	1,085	4,230	25.7%	2,061	7,786	26.5%
	2-18	7,966	48,858	16.3%	8,187	49,335	16.6%	16,155	98,201	16.5%

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.


Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.

Percent of Children 2 to 4 Years of Age Who Are Overweight (BMI>95th Percentile) NC-NPASS* 2003




*North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.

Percent of Children 5 to 11 Years of Age Who Are Overweight (BMI>95th Percentile) NC-NPASS* 2003



*North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.

Percent of Children 12 to 18 Years of Age Who Are Overweight (BMI>95th Percentile) NC-NPASS* 2003



*North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 18 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	4,063	4.1%	62,802	64.0%	15,181	15.5%	16,155	16.5%	98,201
ALAMANCE	32	2.7%	717	61.5%	215	18.4%	202	17.3%	1,166
ALEXANDER	11	2.9%	226	58.9%	77	20.1%	70	18.2%	384
ALLEGHANY	5	2.9%	108	62.1%	30	17.2%	31	17.8%	174
ANSON	48	10.5%	301	65.7%	52	11.4%	57	12.4%	458
ASHE	28	5.7%	316	64.0%	56	11.3%	94	19.0%	494
AVERY	2	1.1%	115	62.5%	32	17.4%	35	19.0%	184
BEAUFORT	15	2.8%	351	65.9%	79	14.8%	88	16.5%	533
BERTIE	28	5.1%	315	57.9%	74	13.6%	127	23.3%	544
BLADEN	24	5.3%	293	65.0%	66	14.6%	68	15.1%	451
BRUNSWICK	49	4.2%	731	63.4%	188	16.3%	185	16.0%	1,153
BUNCOMBE	128	3.3%	2,287	59.9%	611	16.0%	795	20.8%	3,821
BURKE	34	4.5%	500	66.6%	109	14.5%	108	14.4%	751
CABARRUS	101	5.5%	1,206	65.5%	276	15.0%	257	14.0%	1,840
CALDWELL	65	3.8%	1,086	62.8%	270	15.6%	307	17.8%	1,728
CAMDEN	24	16.3%	104	70.7%	9	6.1%	10	6.8%	147
CARTERET	10	2.3%	284	64.1%	69	15.6%	80	18.1%	443
CASWELL	17	7.8%	150	69.1%	20	9.2%	30	13.8%	217
CATAWBA	23	2.4%	590	61.0%	169	17.5%	185	19.1%	967
CHATHAM	13	2.8%	283	60.1%	74	15.7%	101	21.4%	471
CHEROKEE	4	1.8%	136	61.8%	37	16.8%	43	19.5%	220
CHOWAN	8	2.0%	245	61.1%	64	16.0%	84	20.9%	401
CLAY	4	2.5%	102	63.0%	22	13.6%	34	21.0%	162
CLEVELAND	109	6.5%	1,062	63.6%	212	12.7%	287	17.2%	1,670
COLUMBUS	51	4.9%	710	68.6%	143	13.8%	131	12.7%	1,035
CRAVEN	66	4.5%	967	65.7%	204	13.9%	235	16.0%	1,472

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 1 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 18 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	4,063	4.1%	62,802	64.0%	15,181	15.5%	16,155	16.5%	98,201
CUMBERLAND	238	4.6%	3,749	72.0%	681	13.1%	538	10.3%	5,206
CURRITUCK	9	3.4%	163	62.2%	41	15.6%	49	18.7%	262
DARE	1	0.4%	150	64.4%	39	16.7%	43	18.5%	233
DAVIDSON	42	3.3%	874	69.0%	179	14.1%	171	13.5%	1,266
DAVIE	9	2.6%	197	57.4%	61	17.8%	76	22.2%	343
DUPLIN	98	9.7%	575	56.8%	163	16.1%	177	17.5%	1,013
DURHAM	158	7.4%	1,431	67.4%	242	11.4%	293	13.8%	2,124
EDGECOMBE	29	3.0%	591	61.9%	179	18.8%	155	16.2%	954
FORSYTH	85	3.3%	1,724	66.9%	409	15.9%	358	13.9%	2,576
FRANKLIN	25	2.4%	614	59.9%	181	17.7%	205	20.0%	1,025
GASTON	56	3.9%	907	62.7%	227	15.7%	256	17.7%	1,446
GATES	7	6.1%	70	61.4%	17	14.9%	20	17.5%	114
GRAHAM	14	7.3%	132	68.8%	23	12.0%	23	12.0%	192
GRANVILLE	19	2.8%	412	59.7%	131	19.0%	128	18.6%	690
GREENE	13	2.4%	361	65.4%	94	17.0%	84	15.2%	552
GUILFORD	102	3.9%	1,845	71.3%	333	12.9%	307	11.9%	2,587
HALIFAX	34	2.6%	768	59.4%	188	14.5%	304	23.5%	1,294
HARNETT	51	2.9%	1,171	65.7%	285	16.0%	274	15.4%	1,781
HAYWOOD	8	2.7%	189	64.7%	49	16.8%	46	15.8%	292
HENDERSON	13	2.2%	389	67.2%	99	17.1%	78	13.5%	579
HERTFORD	13	2.6%	289	56.9%	103	20.3%	103	20.3%	508
HOKE	53	4.7%	730	64.4%	169	14.9%	181	16.0%	1,133
HYDE	5	6.2%	51	63.0%	8	9.9%	17	21.0%	81
IREDELL	46	3.7%	850	68.1%	179	14.3%	173	13.9%	1,248
JACKSON	8	2.0%	234	59.4%	64	16.2%	88	22.3%	394

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 2 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 18 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	4,063	4.1%	62,802	64.0%	15,181	15.5%	16,155	16.5%	98,201
JOHNSTON	53	3.4%	912	58.5%	293	18.8%	302	19.4%	1,560
JONES	8	3.3%	154	63.1%	49	20.1%	33	13.5%	244
LEE	11	1.7%	368	56.6%	130	20.0%	141	21.7%	650
LENOIR	65	8.2%	538	68.2%	84	10.6%	102	12.9%	789
LINCOLN	19	4.8%	245	61.4%	58	14.5%	77	19.3%	399
MACON	9	2.8%	219	67.4%	45	13.8%	52	16.0%	325
MADISON	2	0.9%	156	68.7%	37	16.3%	32	14.1%	227
MARTIN	17	3.4%	290	57.5%	96	19.0%	101	20.0%	504
MCDOWELL	26	4.5%	390	67.7%	86	14.9%	74	12.8%	576
MECKLENBURG	171	4.2%	2,618	64.2%	652	16.0%	636	15.6%	4,077
MITCHELL	8	3.1%	171	66.5%	46	17.9%	32	12.5%	257
MONTGOMERY	15	2.9%	313	60.2%	92	17.7%	100	19.2%	520
MOORE	33	3.4%	621	63.8%	177	18.2%	142	14.6%	973
NASH	48	4.2%	730	63.5%	187	16.3%	184	16.0%	1,149
NEW HANOVER	20	2.3%	553	64.3%	154	17.9%	133	15.5%	860
NORTHAMPTON	41	6.7%	369	60.3%	101	16.5%	101	16.5%	612
ONslow	134	5.0%	1,918	71.1%	360	13.4%	284	10.5%	2,696
ORANGE	40	4.2%	593	61.6%	153	15.9%	176	18.3%	962
PAMLICO	11	2.9%	218	56.6%	76	19.7%	80	20.8%	385
PASQUOTANK	45	4.6%	574	58.8%	146	15.0%	211	21.6%	976
PENDER	46	6.1%	478	63.3%	96	12.7%	135	17.9%	755
PERQUIMANS	9	3.9%	130	57.0%	37	16.2%	52	22.8%	228
PERSON	13	2.9%	291	65.7%	60	13.5%	79	17.8%	443
PITT	37	2.0%	893	48.1%	426	23.0%	499	26.9%	1,855
POLK	2	1.4%	95	64.2%	28	18.9%	23	15.5%	148

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 3 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 18 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	4,063	4.1%	62,802	64.0%	15,181	15.5%	16,155	16.5%	98,201
RANDOLPH	31	2.4%	717	55.3%	240	18.5%	309	23.8%	1,297
RICHMOND	125	14.2%	609	69.4%	75	8.5%	69	7.9%	878
ROBESON	200	7.4%	1,726	64.1%	359	13.3%	409	15.2%	2,694
ROCKINGHAM	58	4.5%	857	67.2%	158	12.4%	203	15.9%	1,276
ROWAN	35	2.8%	764	61.5%	220	17.7%	223	18.0%	1,242
RUTHERFORD	31	3.1%	673	67.2%	148	14.8%	149	14.9%	1,001
SAMPSON	71	7.1%	626	62.2%	150	14.9%	160	15.9%	1,007
SCOTLAND	26	4.2%	398	63.9%	105	16.9%	94	15.1%	623
STANLY	18	3.3%	364	67.5%	68	12.6%	89	16.5%	539
STOKES	45	4.9%	567	61.3%	148	16.0%	165	17.8%	925
SURRY	23	7.0%	227	68.8%	37	11.2%	43	13.0%	330
SWAIN	8	4.1%	138	70.8%	30	15.4%	19	9.7%	195
TRANSYLVANIA	8	2.9%	185	66.5%	42	15.1%	43	15.5%	278
TYRRELL	1	0.4%	127	52.3%	50	20.6%	65	26.7%	243
UNION	43	3.7%	777	66.4%	188	16.1%	162	13.8%	1,170
VANCE	25	2.7%	594	63.6%	125	13.4%	190	20.3%	934
WAKE	179	2.9%	3,967	64.5%	967	15.7%	1,036	16.8%	6,149
WARREN	35	4.6%	463	61.5%	121	16.1%	134	17.8%	753
WASHINGTON	43	9.8%	287	65.1%	56	12.7%	55	12.5%	441
WATAUGA	17	2.6%	391	59.8%	123	18.8%	123	18.8%	654
WAYNE	58	3.9%	930	62.9%	246	16.6%	245	16.6%	1,479
WILKES	20	2.4%	523	61.9%	145	17.2%	157	18.6%	845
WILSON	26	2.1%	774	61.7%	210	16.7%	244	19.5%	1,254
YADKIN	10	2.3%	273	61.8%	78	17.6%	81	18.3%	442
YANCEY	5	1.3%	243	63.4%	73	19.1%	62	16.2%	383
Eastern Band of Cherokee Indians	4	1.8%	114	51.8%	48	21.8%	54	24.5%	220

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 4 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 4 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	3,404	4.4%	50,961	66.0%	11,792	15.3%	11,098	14.4%	77,255
ALAMANCE	27	2.9%	585	62.8%	180	19.3%	140	15.0%	932
ALEXANDER	11	3.2%	202	58.6%	70	20.3%	62	18.0%	345
ALLEGHANY	2	1.6%	84	66.1%	19	15.0%	22	17.3%	127
ANSON	38	10.2%	253	68.2%	40	10.8%	40	10.8%	371
ASHE	15	5.1%	218	73.4%	31	10.4%	33	11.1%	297
AVERY	2	1.1%	115	62.5%	32	17.4%	35	19.0%	184
BEAUFORT	15	2.8%	351	65.9%	79	14.8%	88	16.5%	533
BERTIE	23	6.0%	229	59.9%	56	14.7%	74	19.4%	382
BLADEN	23	5.8%	267	67.8%	55	14.0%	49	12.4%	394
BRUNSWICK	28	3.5%	522	65.7%	125	15.7%	120	15.1%	795
BUNCOMBE	68	3.8%	1,169	65.8%	261	14.7%	278	15.7%	1,776
BURKE	33	4.8%	468	68.3%	100	14.6%	84	12.3%	685
CABARRUS	80	5.6%	948	66.4%	225	15.8%	175	12.3%	1,428
CALDWELL	36	3.3%	732	66.1%	178	16.1%	161	14.5%	1,107
CAMDEN	20	19.2%	76	73.1%	5	4.8%	3	2.9%	104
CARTERET	10	2.5%	258	64.5%	62	15.5%	70	17.5%	400
CASWELL	14	8.0%	123	70.3%	15	8.6%	23	13.1%	175
CATAWBA	19	3.0%	391	62.6%	116	18.6%	99	15.8%	625
CHATHAM	13	3.0%	267	62.4%	67	15.7%	81	18.9%	428
CHEROKEE	4	2.6%	100	64.5%	24	15.5%	27	17.4%	155
CHOWAN	6	2.5%	161	66.5%	41	16.9%	34	14.0%	242
CLAY	3	3.1%	66	67.3%	12	12.2%	17	17.3%	98
CLEVELAND	76	8.2%	638	68.9%	96	10.4%	116	12.5%	926
COLUMBUS	47	5.3%	616	69.3%	126	14.2%	100	11.2%	889
CRAVEN	54	5.5%	699	71.1%	129	13.1%	101	10.3%	983

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 1 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 4 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	3,404	4.4%	50,961	66.0%	11,792	15.3%	11,098	14.4%	77,255
CUMBERLAND	220	4.7%	3,370	72.5%	608	13.1%	450	9.7%	4,648
CURRITUCK	4	2.2%	120	66.3%	26	14.4%	31	17.1%	181
DARE	1	0.5%	136	69.0%	31	15.7%	29	14.7%	197
DAVIDSON	41	3.5%	815	70.2%	158	13.6%	147	12.7%	1,161
DAVIE	7	2.6%	155	57.6%	50	18.6%	57	21.2%	269
DUPLIN	89	10.2%	493	56.3%	145	16.6%	148	16.9%	875
DURHAM	151	7.2%	1,423	67.5%	241	11.4%	293	13.9%	2,108
EDGECOMBE	24	3.0%	503	63.0%	144	18.0%	127	15.9%	798
FORSYTH	84	3.3%	1,690	66.9%	403	15.9%	351	13.9%	2,528
FRANKLIN	19	3.6%	345	65.2%	90	17.0%	75	14.2%	529
GASTON	40	4.5%	605	67.6%	127	14.2%	123	13.7%	895
GATES	6	5.9%	64	62.7%	15	14.7%	17	16.7%	102
GRAHAM	11	9.2%	89	74.8%	11	9.2%	8	6.7%	119
GRANVILLE	16	3.5%	285	61.6%	85	18.4%	77	16.6%	463
GREENE	12	2.8%	282	65.9%	76	17.8%	58	13.6%	428
GUILFORD	101	3.9%	1,845	71.4%	333	12.9%	306	11.8%	2,585
HALIFAX	28	3.5%	503	63.3%	109	13.7%	155	19.5%	795
HARNETT	45	3.4%	874	66.9%	211	16.1%	177	13.5%	1,307
HAYWOOD	5	2.4%	143	69.1%	28	13.5%	31	15.0%	207
HENDERSON	10	2.2%	314	69.2%	80	17.6%	50	11.0%	454
HERTFORD	8	2.7%	181	61.6%	61	20.7%	44	15.0%	294
HOKE	35	4.4%	520	65.9%	120	15.2%	114	14.4%	789
HYDE	5	7.0%	45	63.4%	6	8.5%	15	21.1%	71
IREDELL	42	3.8%	772	69.2%	158	14.2%	143	12.8%	1,115
JACKSON	8	2.8%	180	62.5%	48	16.7%	52	18.1%	288

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 2 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 4 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	3,404	4.4%	50,961	66.0%	11,792	15.3%	11,098	14.4%	77,255
JOHNSTON	40	4.0%	637	63.4%	180	17.9%	147	14.6%	1,004
JONES	3	2.1%	95	66.4%	34	23.8%	11	7.7%	143
LEE	9	1.5%	342	56.0%	123	20.1%	137	22.4%	611
LENOIR	58	8.3%	482	68.9%	74	10.6%	86	12.3%	700
LINCOLN	14	6.0%	147	62.8%	40	17.1%	33	14.1%	234
MACON	8	2.8%	198	70.2%	39	13.8%	37	13.1%	282
MADISON	2	0.9%	156	68.7%	37	16.3%	32	14.1%	227
MARTIN	16	4.7%	214	62.9%	55	16.2%	55	16.2%	340
MCDOWELL	24	4.5%	366	68.7%	73	13.7%	70	13.1%	533
MECKLENBURG	171	4.2%	2,618	64.2%	652	16.0%	636	15.6%	4,077
MITCHELL	6	2.8%	147	68.1%	38	17.6%	25	11.6%	216
MONTGOMERY	11	2.6%	254	60.5%	77	18.3%	78	18.6%	420
MOORE	28	3.3%	550	65.5%	149	17.7%	113	13.5%	840
NASH	40	4.6%	564	64.2%	141	16.1%	133	15.1%	878
NEW HANOVER	20	2.4%	530	64.6%	150	18.3%	121	14.7%	821
NORTHAMPTON	24	6.4%	240	64.2%	63	16.8%	47	12.6%	374
ONslow	129	5.0%	1,826	71.3%	347	13.5%	259	10.1%	2,561
ORANGE	35	4.5%	490	62.5%	125	15.9%	134	17.1%	784
PAMLICO	5	3.5%	83	57.6%	28	19.4%	28	19.4%	144
PASQUOTANK	27	5.8%	307	65.6%	61	13.0%	73	15.6%	468
PENDER	38	6.7%	392	68.7%	73	12.8%	68	11.9%	571
PERQUIMANS	7	5.0%	88	62.4%	21	14.9%	25	17.7%	141
PERSON	10	2.8%	246	67.8%	48	13.2%	59	16.3%	363
PITT	34	1.9%	844	48.3%	404	23.1%	467	26.7%	1,749
POLK	2	1.6%	79	63.2%	25	20.0%	19	15.2%	125

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 3 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 4 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	3,404	4.4%	50,961	66.0%	11,792	15.3%	11,098	14.4%	77,255
RANDOLPH	23	2.1%	596	53.9%	217	19.6%	269	24.3%	1,105
RICHMOND	124	14.2%	604	69.3%	74	8.5%	69	7.9%	871
ROBESON	161	8.8%	1,227	67.3%	230	12.6%	205	11.2%	1,823
ROCKINGHAM	46	5.5%	599	72.3%	92	11.1%	92	11.1%	829
ROWAN	30	2.7%	700	63.2%	197	17.8%	180	16.3%	1,107
RUTHERFORD	28	3.3%	588	68.9%	125	14.7%	112	13.1%	853
SAMPSON	70	7.3%	605	62.8%	141	14.6%	147	15.3%	963
SCOTLAND	26	4.3%	390	63.9%	104	17.0%	90	14.8%	610
STANLY	18	3.6%	345	69.8%	64	13.0%	67	13.6%	494
STOKES	23	5.6%	275	66.6%	64	15.5%	51	12.3%	413
SURRY	21	8.3%	177	69.7%	30	11.8%	26	10.2%	254
SWAIN	8	4.9%	115	71.0%	23	14.2%	16	9.9%	162
TRANSYLVANIA	8	3.0%	176	66.2%	42	15.8%	40	15.0%	266
TYRRELL	0	0.0%	68	60.7%	28	25.0%	16	14.3%	112
UNION	38	3.6%	715	67.1%	170	15.9%	143	13.4%	1,066
VANCE	22	3.0%	493	66.6%	101	13.6%	124	16.8%	740
WAKE	138	3.0%	3,040	66.5%	706	15.5%	685	15.0%	4,569
WARREN	23	5.8%	270	68.0%	61	15.4%	43	10.8%	397
WASHINGTON	36	12.1%	202	67.8%	33	11.1%	27	9.1%	298
WATAUGA	11	3.6%	191	63.2%	66	21.9%	34	11.3%	302
WAYNE	53	4.0%	841	63.5%	220	16.6%	210	15.9%	1,324
WILKES	16	2.3%	436	63.7%	114	16.7%	118	17.3%	684
WILSON	23	2.2%	655	63.0%	169	16.3%	192	18.5%	1,039
YADKIN	9	3.0%	196	64.9%	47	15.6%	50	16.6%	302
YANCEY	5	1.9%	158	61.0%	61	23.6%	35	13.5%	259
Eastern Band of Cherokee Indians	4	1.8%	114	51.8%	48	21.8%	54	24.5%	220

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
5 through 11 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		≥5th to <85th Percentile		≥85th to <95th Percentile		≥95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	491	3.7%	7,611	57.8%	2,062	15.7%	2,996	22.8%	13,160
ALAMANCE	3	1.7%	96	55.5%	27	15.6%	47	27.2%	173
ALEXANDER	0	0.0%	23	63.9%	7	19.4%	6	16.7%	36
ALLEGHANY	1	2.7%	22	59.5%	8	21.6%	6	16.2%	37
ANSON	9	13.2%	36	52.9%	10	14.7%	13	19.1%	68
ASHE	4	6.9%	28	48.3%	7	12.1%	19	32.8%	58
AVERY	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
BEAUFORT*	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
BERTIE	3	2.5%	67	56.3%	9	7.6%	40	33.6%	119
BLADEN	0	0.0%	23	45.1%	10	19.6%	18	35.3%	51
BRUNSWICK	16	6.1%	158	59.8%	43	16.3%	47	17.8%	264
BUNCOMBE	37	4.3%	470	54.2%	143	16.5%	217	25.0%	867
BURKE	1	1.9%	24	45.3%	8	15.1%	20	37.7%	53
CABARRUS	20	6.6%	199	65.9%	34	11.3%	49	16.2%	302
CALDWELL	25	7.2%	195	56.4%	50	14.5%	76	22.0%	346
CAMDEN	4	12.9%	19	61.3%	4	12.9%	4	12.9%	31
CARTERET	0	0.0%	8	44.4%	6	33.3%	4	22.2%	18
CASWELL	2	7.4%	16	59.3%	2	7.4%	7	25.9%	27
CATAWBA	3	2.2%	87	64.9%	19	14.2%	25	18.7%	134
CHATHAM	0	0.0%	12	37.5%	5	15.6%	15	46.9%	32
CHEROKEE	0	0.0%	18	54.5%	9	27.3%	6	18.2%	33
CHOWAN	1	1.0%	50	50.0%	16	16.0%	33	33.0%	100
CLAY	1	2.1%	27	56.3%	5	10.4%	15	31.3%	48
CLEVELAND	28	7.6%	206	56.1%	50	13.6%	83	22.6%	367
COLUMBUS	4	3.6%	74	66.1%	14	12.5%	20	17.9%	112
CRAVEN	8	3.2%	136	54.8%	34	13.7%	70	28.2%	248

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 1 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
5 through 11 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	491	3.7%	7,611	57.8%	2,062	15.7%	2,996	22.8%	13,160
CUMBERLAND	16	4.4%	255	70.2%	42	11.6%	50	13.8%	363
CURRITUCK	4	6.5%	33	53.2%	11	17.7%	14	22.6%	62
DARE	0	0.0%	12	42.9%	6	21.4%	10	35.7%	28
DAVIDSON	1	1.1%	51	54.3%	19	20.2%	23	24.5%	94
DAVIE	2	3.2%	37	58.7%	8	12.7%	16	25.4%	63
DUPLIN	8	10.5%	47	61.8%	6	7.9%	15	19.7%	76
DURHAM &	2	50.0%	2	50.0%	0	0.0%	0	0.0%	4
EDGECOMBE	3	2.6%	66	56.9%	28	24.1%	19	16.4%	116
FORSYTH &	1	2.1%	34	70.8%	6	12.5%	7	14.6%	48
FRANKLIN	4	1.4%	163	58.0%	42	14.9%	72	25.6%	281
GASTON	14	3.1%	254	56.3%	75	16.6%	108	23.9%	451
GATES	1	10.0%	5	50.0%	1	10.0%	3	30.0%	10
GRAHAM	3	6.1%	30	61.2%	5	10.2%	11	22.4%	49
GRANVILLE	2	1.3%	92	57.5%	31	19.4%	35	21.9%	160
GREENE	1	0.9%	71	67.0%	12	11.3%	22	20.8%	106
GUILFORD &	0	0.0%	0	0.0%	0	0.0%	1	100.0%	1
HALIFAX	6	2.3%	143	54.0%	46	17.4%	70	26.4%	265
HARNETT	4	1.1%	216	61.5%	55	15.7%	76	21.7%	351
HAYWOOD	2	3.5%	30	52.6%	14	24.6%	11	19.3%	57
HENDERSON	3	3.6%	49	58.3%	16	19.0%	16	19.0%	84
HERTFORD	1	2.6%	15	38.5%	8	20.5%	15	38.5%	39
HOKE	16	6.8%	146	62.4%	34	14.5%	38	16.2%	234
HYDE	0	0.0%	6	66.7%	1	11.1%	2	22.2%	9
IREDELL	3	2.5%	70	59.3%	21	17.8%	24	20.3%	118
JACKSON	0	0.0%	30	54.5%	8	14.5%	17	30.9%	55

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 2 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
5 through 11 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		≥5th to <85th Percentile		≥85th to <95th Percentile		≥95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	491	3.7%	7,611	57.8%	2,062	15.7%	2,996	22.8%	13,160
JOHNSTON	11	2.7%	208	50.1%	87	21.0%	109	26.3%	415
JONES	4	8.5%	28	59.6%	6	12.8%	9	19.1%	47
LEE	2	5.4%	24	64.9%	7	18.9%	4	10.8%	37
LENOIR	7	8.2%	55	64.7%	9	10.6%	14	16.5%	85
LINCOLN	4	3.4%	73	61.9%	15	12.7%	26	22.0%	118
MACON	1	3.2%	18	58.1%	3	9.7%	9	29.0%	31
MADISON	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
MARTIN	0	0.0%	43	54.4%	13	16.5%	23	29.1%	79
MCDOWELL	2	5.1%	22	56.4%	11	28.2%	4	10.3%	39
MECKLENBURG &	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
MITCHELL	2	6.9%	17	58.6%	6	20.7%	4	13.8%	29
MONTGOMERY	4	4.1%	57	58.8%	15	15.5%	21	21.6%	97
MOORE	4	3.1%	71	55.0%	27	20.9%	27	20.9%	129
NASH	8	3.2%	153	61.4%	46	18.5%	42	16.9%	249
NEW HANOVER	0	0.0%	19	57.6%	4	12.1%	10	30.3%	33
NORTHAMPTON	7	4.0%	106	60.2%	28	15.9%	35	19.9%	176
ONslow	5	4.2%	82	68.3%	12	10.0%	21	17.5%	120
ORANGE	4	7.4%	34	63.0%	3	5.6%	13	24.1%	54
PAMLICO	2	2.1%	56	58.9%	16	16.8%	21	22.1%	95
PASQUOTANK	12	4.6%	138	53.3%	45	17.4%	64	24.7%	259
PENDER	5	3.9%	68	53.1%	16	12.5%	39	30.5%	128
PERQUIMANS	2	3.4%	31	52.5%	10	16.9%	16	27.1%	59
PERSON	2	4.5%	25	56.8%	6	13.6%	11	25.0%	44
PITT	2	2.1%	44	46.3%	19	20.0%	30	31.6%	95
POLK	0	0.0%	14	77.8%	1	5.6%	3	16.7%	18

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 3 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
5 through 11 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		≥5th to <85th Percentile		≥85th to <95th Percentile		≥95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	491	3.7%	7,611	57.8%	2,062	15.7%	2,996	22.8%	13,160
RANDOLPH	7	4.5%	96	62.3%	18	11.7%	33	21.4%	154
RICHMOND	1	14.3%	5	71.4%	1	14.3%	0	0.0%	7
ROBESON	30	7.0%	246	57.1%	63	14.6%	92	21.3%	431
ROCKINGHAM	8	2.8%	164	58.0%	42	14.8%	69	24.4%	283
ROWAN	5	4.6%	52	48.1%	17	15.7%	34	31.5%	108
RUTHERFORD	1	0.8%	68	57.1%	20	16.8%	30	25.2%	119
SAMPSON	1	3.0%	15	45.5%	8	24.2%	9	27.3%	33
SCOTLAND	0	0.0%	6	60.0%	1	10.0%	3	30.0%	10
STANLY	0	0.0%	16	50.0%	2	6.3%	14	43.8%	32
STOKES	13	4.4%	177	60.2%	50	17.0%	54	18.4%	294
SURRY	1	1.8%	38	67.9%	5	8.9%	12	21.4%	56
SWAIN	0	0.0%	21	75.0%	6	21.4%	1	3.6%	28
TRANSYLVANIA	0	0.0%	9	75.0%	0	0.0%	3	25.0%	12
TYRRELL	0	0.0%	28	41.8%	12	17.9%	27	40.3%	67
UNION	5	5.5%	55	60.4%	16	17.6%	15	16.5%	91
VANCE	2	1.3%	86	56.2%	19	12.4%	46	30.1%	153
WAKE	32	2.7%	713	59.9%	182	15.3%	264	22.2%	1,191
WARREN	8	3.8%	115	54.8%	40	19.0%	47	22.4%	210
WASHINGTON	4	4.5%	55	61.8%	12	13.5%	18	20.2%	89
WATAUGA	4	3.4%	65	55.1%	20	16.9%	29	24.6%	118
WAYNE	5	4.5%	61	55.0%	19	17.1%	26	23.4%	111
WILKES	3	3.0%	60	60.6%	20	20.2%	16	16.2%	99
WILSON	3	1.5%	112	56.6%	34	17.2%	49	24.7%	198
YADKIN	1	0.9%	65	56.0%	26	22.4%	24	20.7%	116
YANCEY	0	0.0%	46	69.7%	9	13.6%	11	16.7%	66

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 4 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
12 through 18 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	168	2.2%	4,230	54.3%	1,327	17.0%	2,061	26.5%	7,786
ALAMANCE	2	3.3%	36	59.0%	8	13.1%	15	24.6%	61
ALEXANDER	0	0.0%	1	33.3%	0	0.0%	2	66.7%	3
ALLEGHANY	2	20.0%	2	20.0%	3	30.0%	3	30.0%	10
ANSON	1	5.3%	12	63.2%	2	10.5%	4	21.1%	19
ASHE	9	6.5%	70	50.4%	18	12.9%	42	30.2%	139
AVERY	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
BEAUFORT*	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
BERTIE	2	4.7%	19	44.2%	9	20.9%	13	30.2%	43
BLADEN	1	16.7%	3	50.0%	1	16.7%	1	16.7%	6
BRUNSWICK	5	5.3%	51	54.3%	20	21.3%	18	19.1%	94
BUNCOMBE	23	2.0%	648	55.0%	207	17.6%	300	25.5%	1,178
BURKE	0	0.0%	8	61.5%	1	7.7%	4	30.8%	13
CABARRUS	1	0.9%	59	53.6%	17	15.5%	33	30.0%	110
CALDWELL	4	1.5%	159	57.8%	42	15.3%	70	25.5%	275
CAMDEN	0	0.0%	9	75.0%	0	0.0%	3	25.0%	12
CARTERET	0	0.0%	18	72.0%	1	4.0%	6	24.0%	25
CASWELL	1	6.7%	11	73.3%	3	20.0%	0	0.0%	15
CATAWBA	1	0.5%	112	53.8%	34	16.3%	61	29.3%	208
CHATHAM	0	0.0%	4	36.4%	2	18.2%	5	45.5%	11
CHEROKEE	0	0.0%	18	56.3%	4	12.5%	10	31.3%	32
CHOWAN	1	1.7%	34	57.6%	7	11.9%	17	28.8%	59
CLAY	0	0.0%	9	56.3%	5	31.3%	2	12.5%	16
CLEVELAND	5	1.3%	218	57.8%	66	17.5%	88	23.3%	377
COLUMBUS	0	0.0%	20	58.8%	3	8.8%	11	32.4%	34
CRAVEN	4	1.7%	132	54.8%	41	17.0%	64	26.6%	241

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 1 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
12 through 18 years of age, By County, NC-NPASS*, 2003**

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	168	2.2%	4,230	54.3%	1,327	17.0%	2,061	26.5%	7,786
CUMBERLAND	2	1.0%	124	63.6%	31	15.9%	38	19.5%	195
CURRITUCK	1	5.3%	10	52.6%	4	21.1%	4	21.1%	19
DARE	0	0.0%	2	25.0%	2	25.0%	4	50.0%	8
DAVIDSON	0	0.0%	8	72.7%	2	18.2%	1	9.1%	11
DAVIE	0	0.0%	5	45.5%	3	27.3%	3	27.3%	11
DUPLIN	1	1.6%	35	56.5%	12	19.4%	14	22.6%	62
DURHAM &	5	41.7%	6	50.0%	1	8.3%	0	0.0%	12
EDGECOMBE	2	5.0%	22	55.0%	7	17.5%	9	22.5%	40
FORSYTH &	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
FRANKLIN	2	0.9%	106	49.3%	49	22.8%	58	27.0%	215
GASTON	2	2.0%	48	48.0%	25	25.0%	25	25.0%	100
GATES	0	0.0%	1	50.0%	1	50.0%	0	0.0%	2
GRAHAM	0	0.0%	13	54.2%	7	29.2%	4	16.7%	24
GRANVILLE	1	1.5%	35	52.2%	15	22.4%	16	23.9%	67
GREENE	0	0.0%	8	44.4%	6	33.3%	4	22.2%	18
GUILFORD &	1	100.0%	0	0.0%	0	0.0%	0	0.0%	1
HALIFAX	0	0.0%	122	52.1%	33	14.1%	79	33.8%	234
HARNETT	2	1.6%	81	65.9%	19	15.4%	21	17.1%	123
HAYWOOD	1	3.6%	16	57.1%	7	25.0%	4	14.3%	28
HENDERSON	0	0.0%	26	63.4%	3	7.3%	12	29.3%	41
HERTFORD	4	2.3%	93	53.1%	34	19.4%	44	25.1%	175
HOKE	2	1.8%	64	58.2%	15	13.6%	29	26.4%	110
HYDE	0	0.0%	0	0.0%	1	100.0%	0	0.0%	1
IREDELL	1	6.7%	8	53.3%	0	0.0%	6	40.0%	15
JACKSON	0	0.0%	24	47.1%	8	15.7%	19	37.3%	51

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 2 of 4

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 12 through 18 years of age, By County, NC-NPASS*, 2003

HEALTH DEPARTMENT (^{&} counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	168	2.2%	4,230	54.3%	1,327	17.0%	2,061	26.5%	7,786
JOHNSTON	2	1.4%	67	47.5%	26	18.4%	46	32.6%	141
JONES	1	1.9%	31	57.4%	9	16.7%	13	24.1%	54
LEE	0	0.0%	2	100.0%	0	0.0%	0	0.0%	2
LENOIR	0	0.0%	1	25.0%	1	25.0%	2	50.0%	4
LINCOLN	1	2.1%	25	53.2%	3	6.4%	18	38.3%	47
MACON	0	0.0%	3	25.0%	3	25.0%	6	50.0%	12
MADISON	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
MARTIN	1	1.2%	33	38.8%	28	32.9%	23	27.1%	85
MCDOWELL	0	0.0%	2	50.0%	2	50.0%	0	0.0%	4
MECKLENBURG ^{&}	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
MITCHELL	0	0.0%	7	58.3%	2	16.7%	3	25.0%	12
MONTGOMERY	0	0.0%	2	66.7%	0	0.0%	1	33.3%	3
MOORE	1	25.0%	0	0.0%	1	25.0%	2	50.0%	4
NASH	0	0.0%	13	59.1%	0	0.0%	9	40.9%	22
NEW HANOVER	0	0.0%	4	66.7%	0	0.0%	2	33.3%	6
NORTHAMPTON	10	16.1%	23	37.1%	10	16.1%	19	30.6%	62
ONslow	0	0.0%	10	66.7%	1	6.7%	4	26.7%	15
ORANGE	1	0.8%	69	55.6%	25	20.2%	29	23.4%	124
PAMLICO	4	2.7%	79	54.1%	32	21.9%	31	21.2%	146
PASQUOTANK	6	2.4%	129	51.8%	40	16.1%	74	29.7%	249
PENDER	3	5.4%	18	32.1%	7	12.5%	28	50.0%	56
PERQUIMANS	0	0.0%	11	39.3%	6	21.4%	11	39.3%	28
PERSON	1	2.8%	20	55.6%	6	16.7%	9	25.0%	36
PITT	1	9.1%	5	45.5%	3	27.3%	2	18.2%	11
POLK	0	0.0%	2	40.0%	2	40.0%	1	20.0%	5

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 3 of 4

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 12 through 18 years of age, By County, NC-NPASS*, 2003

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	168	2.2%	4,230	54.3%	1,327	17.0%	2,061	26.5%	7,786
RANDOLPH	1	2.6%	25	65.8%	5	13.2%	7	18.4%	38
RICHMOND	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
ROBESON	9	2.0%	253	57.5%	66	15.0%	112	25.5%	440
ROCKINGHAM	4	2.4%	94	57.3%	24	14.6%	42	25.6%	164
ROWAN	0	0.0%	12	44.4%	6	22.2%	9	33.3%	27
RUTHERFORD	2	6.9%	17	58.6%	3	10.3%	7	24.1%	29
SAMPSON	0	0.0%	6	54.5%	1	9.1%	4	36.4%	11
SCOTLAND	0	0.0%	2	66.7%	0	0.0%	1	33.3%	3
STANLY	0	0.0%	3	23.1%	2	15.4%	8	61.5%	13
STOKES	9	4.1%	115	52.8%	34	15.6%	60	27.5%	218
SURRY	1	5.0%	12	60.0%	2	10.0%	5	25.0%	20
SWAIN	0	0.0%	2	40.0%	1	20.0%	2	40.0%	5
TRANSYLVANIA	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
TYRRELL	1	1.6%	31	48.4%	10	15.6%	22	34.4%	64
UNION	0	0.0%	7	53.8%	2	15.4%	4	30.8%	13
VANCE	1	2.4%	15	36.6%	5	12.2%	20	48.8%	41
WAKE	9	2.3%	214	55.0%	79	20.3%	87	22.4%	389
WARREN	4	2.7%	78	53.4%	20	13.7%	44	30.1%	146
WASHINGTON	3	5.6%	30	55.6%	11	20.4%	10	18.5%	54
WATAUGA	2	0.9%	135	57.7%	37	15.8%	60	25.6%	234
WAYNE	0	0.0%	28	63.6%	7	15.9%	9	20.5%	44
WILKES	1	1.6%	27	43.5%	11	17.7%	23	37.1%	62
WILSON	0	0.0%	7	41.2%	7	41.2%	3	17.6%	17
YADKIN	0	0.0%	12	50.0%	5	20.8%	7	29.2%	24
YANCEY	0	0.0%	39	67.2%	3	5.2%	16	27.6%	58

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 4 of 4