

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children  
12 through 18 years of age, By County, NC-NPASS\*, 2004**

HEALTH DEPARTMENT ( <sup>&amp;</sup> counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		≥5th to <85th Percentile		≥85th to <95th Percentile		≥95th Percentile		
	#	%	#	%	#	%	#	%	#
<b>STATEWIDE</b>	<b>117</b>	<b>1.5%</b>	<b>4,037</b>	<b>52.9%</b>	<b>1,396</b>	<b>18.3%</b>	<b>2,078</b>	<b>27.2%</b>	<b>7,628</b>
ALAMANCE	0	0.0%	15	48.4%	6	19.4%	10	32.3%	31
ALEXANDER	0	0.0%	5	83.3%	0	0.0%	1	16.7%	6
ALLEGHANY	0	0.0%	1	25.0%	2	50.0%	1	25.0%	4
ANSON	2	7.4%	20	74.1%	1	3.7%	4	14.8%	27
ASHE	4	3.1%	69	53.5%	22	17.1%	34	26.4%	129
AVERY	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
BEAUFORT <sup>&amp;</sup>	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
BERTIE	2	2.8%	32	45.1%	10	14.1%	27	38.0%	71
BLADEN	0	0.0%	8	80.0%	0	0.0%	2	20.0%	10
BRUNSWICK	5	4.3%	63	54.8%	19	16.5%	28	24.3%	115
BUNCOMBE	13	1.3%	564	55.3%	179	17.6%	263	25.8%	1,019
BURKE	0	0.0%	2	66.7%	1	33.3%	0	0.0%	3
CABARRUS	0	0.0%	52	50.0%	13	12.5%	39	37.5%	104
CALDWELL	3	1.2%	139	53.7%	56	21.6%	61	23.6%	259
CAMDEN	0	0.0%	9	69.2%	2	15.4%	2	15.4%	13
CARTERET	0	0.0%	10	62.5%	2	12.5%	4	25.0%	16
CASWELL	0	0.0%	12	60.0%	4	20.0%	4	20.0%	20
CATAWBA	2	0.5%	219	52.9%	82	19.8%	111	26.8%	414
CHATHAM	0	0.0%	4	44.4%	2	22.2%	3	33.3%	9
CHEROKEE	0	0.0%	14	40.0%	12	34.3%	9	25.7%	35
CHOWAN	1	1.4%	34	48.6%	18	25.7%	17	24.3%	70
CLAY	0	0.0%	8	57.1%	3	21.4%	3	21.4%	14
CLEVELAND	9	2.2%	205	51.0%	74	18.4%	114	28.4%	402
COLUMBUS	0	0.0%	12	52.2%	3	13.0%	8	34.8%	23
CRAVEN	4	1.0%	201	50.6%	74	18.6%	118	29.7%	397

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children  
12 through 18 years of age, By County, NC-NPASS\*, 2004**

HEALTH DEPARTMENT ( <sup>&amp;</sup> counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		≥5th to <85th Percentile		≥85th to <95th Percentile		≥95th Percentile		
	#	%	#	%	#	%	#	%	#
<b>STATEWIDE</b>	<b>117</b>	<b>1.5%</b>	<b>4,037</b>	<b>52.9%</b>	<b>1,396</b>	<b>18.3%</b>	<b>2,078</b>	<b>27.2%</b>	<b>7,628</b>
CUMBERLAND	2	1.1%	108	58.1%	40	21.5%	36	19.4%	186
CURRITUCK	0	0.0%	19	48.7%	4	10.3%	16	41.0%	39
DARE	0	0.0%	5	29.4%	5	29.4%	7	41.2%	17
DAVIDSON	1	20.0%	2	40.0%	0	0.0%	2	40.0%	5
DAVIE	1	2.1%	24	50.0%	10	20.8%	13	27.1%	48
DUPLIN	1	1.5%	37	54.4%	14	20.6%	16	23.5%	68
DURHAM <sup>&amp;</sup>	0	0.0%	8	100.0%	0	0.0%	0	0.0%	8
EDGECOMBE	2	8.0%	14	56.0%	4	16.0%	5	20.0%	25
FORSYTH <sup>&amp;</sup>	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
FRANKLIN	4	1.9%	109	51.4%	43	20.3%	56	26.4%	212
GASTON	0	0.0%	64	56.1%	12	10.5%	38	33.3%	114
GATES	0	0.0%	8	66.7%	1	8.3%	3	25.0%	12
GRAHAM	1	3.2%	16	51.6%	5	16.1%	9	29.0%	31
GRANVILLE	0	0.0%	49	49.5%	25	25.3%	25	25.3%	99
GREENE	1	5.6%	6	33.3%	3	16.7%	8	44.4%	18
GUILFORD <sup>&amp;</sup>	1	100.0%	0	0.0%	0	0.0%	0	0.0%	1
HALIFAX	3	1.1%	133	49.3%	54	20.0%	80	29.6%	270
HARNETT	1	0.6%	73	46.5%	36	22.9%	47	29.9%	157
HAYWOOD	2	8.3%	15	62.5%	4	16.7%	3	12.5%	24
HENDERSON	1	2.4%	23	56.1%	2	4.9%	15	36.6%	41
HERTFORD	0	0.0%	23	41.8%	15	27.3%	17	30.9%	55
HOKE	0	0.0%	31	60.8%	8	15.7%	12	23.5%	51
HYDE	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
IREDELL	0	0.0%	3	42.9%	2	28.6%	2	28.6%	7
JACKSON	0	0.0%	15	53.6%	3	10.7%	10	35.7%	28

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children  
12 through 18 years of age, By County, NC-NPASS\*, 2004**

HEALTH DEPARTMENT ( <sup>&amp;</sup> counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		≥5th to <85th Percentile		≥85th to <95th Percentile		≥95th Percentile		
	#	%	#	%	#	%	#	%	#
<b>STATEWIDE</b>	<b>117</b>	<b>1.5%</b>	<b>4,037</b>	<b>52.9%</b>	<b>1,396</b>	<b>18.3%</b>	<b>2,078</b>	<b>27.2%</b>	<b>7,628</b>
JOHNSTON	1	0.7%	66	46.2%	30	21.0%	46	32.2%	143
JONES	1	1.4%	33	45.2%	17	23.3%	22	30.1%	73
LEE	0	0.0%	0	0.0%	0	0.0%	1	100.0%	1
LENOIR	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
LINCOLN	0	0.0%	19	44.2%	6	14.0%	18	41.9%	43
MACON	0	0.0%	16	53.3%	7	23.3%	7	23.3%	30
MADISON	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
MARTIN	0	0.0%	17	56.7%	4	13.3%	9	30.0%	30
MCDOWELL	0	0.0%	0	0.0%	0	0.0%	1	100.0%	1
MECKLENBURG <sup>&amp;</sup>	2	6.7%	22	73.3%	5	16.7%	1	3.3%	30
MITCHELL	0	0.0%	6	54.5%	2	18.2%	3	27.3%	11
MONTGOMERY	0	0.0%	15	71.4%	1	4.8%	5	23.8%	21
MOORE	1	11.1%	6	66.7%	2	22.2%	0	0.0%	9
NASH	1	4.5%	11	50.0%	4	18.2%	6	27.3%	22
NEW HANOVER	0	0.0%	16	47.1%	8	23.5%	10	29.4%	34
NORTHAMPTON	4	7.5%	25	47.2%	14	26.4%	10	18.9%	53
ONslow	1	4.8%	12	57.1%	0	0.0%	8	38.1%	21
ORANGE	0	0.0%	13	59.1%	6	27.3%	3	13.6%	22
PAMLICO	1	0.8%	61	47.3%	34	26.4%	33	25.6%	129
PASQUOTANK	2	1.0%	102	49.5%	26	12.6%	76	36.9%	206
PENDER	0	0.0%	39	50.0%	14	17.9%	25	32.1%	78
PERQUIMANS	0	0.0%	27	60.0%	2	4.4%	16	35.6%	45
PERSON	0	0.0%	32	61.5%	6	11.5%	14	26.9%	52
PITT	1	11.1%	2	22.2%	2	22.2%	4	44.4%	9
POLK	1	50.0%	1	50.0%	0	0.0%	0	0.0%	2

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children  
12 through 18 years of age, By County, NC-NPASS\*, 2004**

HEALTH DEPARTMENT ( <sup>&amp;</sup> counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
<b>STATEWIDE</b>	<b>117</b>	<b>1.5%</b>	<b>4,037</b>	<b>52.9%</b>	<b>1,396</b>	<b>18.3%</b>	<b>2,078</b>	<b>27.2%</b>	<b>7,628</b>
RANDOLPH	0	0.0%	8	42.1%	3	15.8%	8	42.1%	19
RICHMOND	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
ROBESON	9	3.7%	125	50.8%	45	18.3%	67	27.2%	246
ROCKINGHAM	4	2.2%	106	59.2%	29	16.2%	40	22.3%	179
ROWAN	0	0.0%	15	60.0%	4	16.0%	6	24.0%	25
RUTHERFORD	1	6.7%	7	46.7%	4	26.7%	3	20.0%	15
SAMPSON	0	0.0%	8	66.7%	2	16.7%	2	16.7%	12
SCOTLAND	0	0.0%	1	33.3%	1	33.3%	1	33.3%	3
STANLY	1	5.3%	3	15.8%	6	31.6%	9	47.4%	19
STOKES	3	1.8%	88	53.0%	32	19.3%	43	25.9%	166
SURRY	0	0.0%	68	56.7%	22	18.3%	30	25.0%	120
SWAIN	1	14.3%	1	14.3%	2	28.6%	3	42.9%	7
TRANSYLVANIA	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
TYRRELL	0	0.0%	10	50.0%	3	15.0%	7	35.0%	20
UNION	0	0.0%	10	52.6%	4	21.1%	5	26.3%	19
VANCE	2	3.5%	29	50.9%	5	8.8%	21	36.8%	57
WAKE	4	1.1%	227	60.5%	66	17.6%	78	20.8%	375
WARREN	2	2.2%	50	53.8%	21	22.6%	20	21.5%	93
WASHINGTON	0	0.0%	17	32.1%	13	24.5%	23	43.4%	53
WATAUGA	2	0.9%	121	55.3%	37	16.9%	59	26.9%	219
WAYNE	2	4.8%	28	66.7%	4	9.5%	8	19.0%	42
WILKES	3	4.8%	33	52.4%	12	19.0%	15	23.8%	63
WILSON	0	0.0%	8	100.0%	0	0.0%	0	0.0%	8
YADKIN	0	0.0%	14	42.4%	9	27.3%	10	30.3%	33
YANCEY	1	1.6%	36	57.1%	7	11.1%	19	30.2%	63

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.