

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 18 years of age, By County, NC-NPASS*, 2004**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	4,008	3.9%	64,830	63.3%	16,248	15.9%	17,394	17.0%	102,480
ALAMANCE	21	1.8%	704	61.4%	196	17.1%	225	19.6%	1,146
ALEXANDER	16	4.1%	236	61.1%	68	17.6%	66	17.1%	386
ALLEGHANY	3	1.7%	90	52.0%	38	22.0%	42	24.3%	173
ANSON	32	6.5%	332	67.2%	59	11.9%	71	14.4%	494
ASHE	29	5.3%	360	65.7%	66	12.0%	93	17.0%	548
AVERY	0	0.0%	132	70.6%	22	11.8%	33	17.6%	187
BEAUFORT	11	1.9%	369	64.5%	99	17.3%	93	16.3%	572
BERTIE	30	5.7%	315	60.2%	73	14.0%	105	20.1%	523
BLADEN	30	6.0%	331	66.6%	69	13.9%	67	13.5%	497
BRUNSWICK	32	2.7%	747	63.0%	202	17.0%	205	17.3%	1,186
BUNCOMBE	94	2.5%	2,148	57.8%	651	17.5%	823	22.1%	3,716
BURKE	25	3.4%	499	67.2%	125	16.8%	94	12.7%	743
CABARRUS	100	4.6%	1,392	64.4%	340	15.7%	328	15.2%	2,160
CALDWELL	55	3.2%	1,041	61.2%	299	17.6%	307	18.0%	1,702
CAMDEN	21	12.7%	112	67.9%	12	7.3%	20	12.1%	165
CARTERET	13	2.8%	284	61.9%	75	16.3%	87	19.0%	459
CASWELL	18	7.2%	169	67.6%	28	11.2%	35	14.0%	250
CATAWBA	18	1.5%	679	57.4%	238	20.1%	247	20.9%	1,182
CHATHAM	11	2.2%	303	59.5%	90	17.7%	105	20.6%	509
CHEROKEE	6	2.9%	113	54.9%	41	19.9%	46	22.3%	206
CHOWAN	6	1.4%	253	57.9%	89	20.4%	89	20.4%	437
CLAY	6	3.8%	96	61.1%	19	12.1%	36	22.9%	157
CLEVELAND	96	5.5%	1,087	62.5%	274	15.8%	282	16.2%	1,739
COLUMBUS	43	4.4%	647	66.0%	139	14.2%	152	15.5%	981
CRAVEN	53	3.0%	1,038	59.0%	301	17.1%	368	20.9%	1,760

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.
Page 1 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 18 years of age, By County, NC-NPASS*, 2004**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	4,008	3.9%	64,830	63.3%	16,248	15.9%	17,394	17.0%	102,480
CUMBERLAND	332	6.3%	3,735	70.4%	702	13.2%	539	10.2%	5,308
CURRITUCK	9	3.5%	153	60.2%	41	16.1%	51	20.1%	254
DARE	6	2.4%	152	61.3%	51	20.6%	39	15.7%	248
DAVIDSON	48	3.7%	900	69.1%	190	14.6%	164	12.6%	1,302
DAVIE	7	1.6%	276	62.2%	71	16.0%	90	20.3%	444
DUPLIN	96	10.3%	522	56.3%	136	14.7%	174	18.8%	928
DURHAM	134	6.3%	1,335	62.5%	271	12.7%	397	18.6%	2,137
EDGECOMBE	31	3.1%	641	64.9%	150	15.2%	166	16.8%	988
FORSYTH	88	3.0%	1,883	64.1%	501	17.1%	466	15.9%	2,938
FRANKLIN	33	3.1%	632	59.3%	203	19.0%	198	18.6%	1,066
GASTON	43	2.8%	998	65.5%	203	13.3%	280	18.4%	1,524
GATES	3	1.9%	100	63.7%	28	17.8%	26	16.6%	157
GRAHAM	1	0.5%	152	69.4%	23	10.5%	43	19.6%	219
GRANVILLE	28	3.5%	460	58.0%	137	17.3%	168	21.2%	793
GREENE	15	2.8%	342	64.7%	84	15.9%	88	16.6%	529
GUILFORD	122	4.2%	2,045	70.5%	391	13.5%	341	11.8%	2,899
HALIFAX	42	3.1%	814	60.7%	209	15.6%	277	20.6%	1,342
HARNETT	59	3.2%	1,077	59.2%	354	19.5%	329	18.1%	1,819
HAYWOOD	14	4.5%	186	60.4%	50	16.2%	58	18.8%	308
HENDERSON	14	2.3%	395	63.7%	101	16.3%	110	17.7%	620
HERTFORD	10	2.5%	238	59.6%	77	19.3%	74	18.5%	399
HOKE	46	4.3%	657	61.6%	161	15.1%	203	19.0%	1,067
HYDE	3	4.0%	50	66.7%	10	13.3%	12	16.0%	75
IREDELL	42	3.2%	918	70.2%	183	14.0%	165	12.6%	1,308
JACKSON	6	1.8%	194	57.9%	62	18.5%	73	21.8%	335

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 18 years of age, By County, NC-NPASS*, 2004**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	4,008	3.9%	64,830	63.3%	16,248	15.9%	17,394	17.0%	102,480
JOHNSTON	39	2.6%	863	57.2%	266	17.6%	342	22.6%	1,510
JONES	7	2.4%	159	55.4%	53	18.5%	68	23.7%	287
LEE	18	2.6%	429	61.2%	132	18.8%	122	17.4%	701
LENOIR	88	10.2%	607	70.3%	83	9.6%	86	10.0%	864
LINCOLN	38	10.1%	253	66.9%	39	10.3%	48	12.7%	378
MACON	7	1.8%	246	63.6%	69	17.8%	65	16.8%	387
MADISON	7	2.9%	145	59.2%	41	16.7%	52	21.2%	245
MARTIN	25	6.3%	234	59.2%	58	14.7%	78	19.7%	395
MCDOWELL	37	6.2%	402	67.7%	91	15.3%	64	10.8%	594
MECKLENBURG	190	4.0%	2,950	62.6%	814	17.3%	758	16.1%	4,712
MITCHELL	7	3.1%	144	62.9%	31	13.5%	47	20.5%	229
MONTGOMERY	18	2.7%	391	59.5%	115	17.5%	133	20.2%	657
MOORE	30	3.2%	596	63.0%	173	18.3%	147	15.5%	946
NASH	66	5.9%	712	63.2%	176	15.6%	172	15.3%	1,126
NEW HANOVER	33	2.8%	774	64.6%	186	15.5%	206	17.2%	1,199
NORTHAMPTON	24	4.4%	323	58.6%	88	16.0%	116	21.1%	551
ONslow	77	2.9%	1,911	71.7%	391	14.7%	288	10.8%	2,667
ORANGE	30	3.3%	501	55.9%	172	19.2%	194	21.6%	897
PAMLICO	4	1.1%	189	53.5%	73	20.7%	87	24.6%	353
PASQUOTANK	37	3.9%	563	59.1%	146	15.3%	207	21.7%	953
PENDER	45	6.1%	467	63.0%	93	12.6%	136	18.4%	741
PERQUIMANS	4	1.8%	124	55.6%	40	17.9%	55	24.7%	223
PERSON	7	1.4%	335	68.2%	70	14.3%	79	16.1%	491
PITT	51	2.7%	1,235	65.1%	314	16.6%	296	15.6%	1,896
POLK	4	2.5%	103	64.0%	29	18.0%	25	15.5%	161

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 2 through 18 years of age, By County, NC-NPASS*, 2004

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	4,008	3.9%	64,830	63.3%	16,248	15.9%	17,394	17.0%	102,480
RANDOLPH	33	2.4%	744	55.2%	264	19.6%	306	22.7%	1,347
RICHMOND	124	13.8%	611	67.8%	79	8.8%	87	9.7%	901
ROBESON	168	6.2%	1,725	63.4%	394	14.5%	433	15.9%	2,720
ROCKINGHAM	90	6.2%	936	64.4%	195	13.4%	233	16.0%	1,454
ROWAN	24	2.0%	766	63.8%	208	17.3%	203	16.9%	1,201
RUTHERFORD	38	4.5%	559	65.5%	135	15.8%	121	14.2%	853
SAMPSON	72	7.1%	634	62.1%	143	14.0%	172	16.8%	1,021
SCOTLAND	25	4.0%	413	66.7%	86	13.9%	95	15.3%	619
STANLY	27	4.7%	398	69.1%	79	13.7%	72	12.5%	576
STOKES	22	2.8%	471	60.7%	111	14.3%	172	22.2%	776
SURRY	20	3.3%	378	63.0%	77	12.8%	125	20.8%	600
SWAIN	9	4.9%	128	69.9%	29	15.8%	17	9.3%	183
TRANSYLVANIA	9	3.4%	175	66.0%	47	17.7%	34	12.8%	265
TYRRELL	7	3.6%	110	57.3%	28	14.6%	47	24.5%	192
UNION	43	3.1%	902	65.5%	223	16.2%	209	15.2%	1,377
VANCE	36	4.0%	570	62.8%	134	14.8%	168	18.5%	908
WAKE	179	2.6%	4,332	62.6%	1,208	17.4%	1,205	17.4%	6,924
WARREN	25	4.1%	391	64.5%	97	16.0%	93	15.3%	606
WASHINGTON	32	7.6%	250	59.5%	58	13.8%	80	19.0%	420
WATAUGA	18	2.8%	395	61.0%	103	15.9%	132	20.4%	648
WAYNE	38	2.4%	1,021	64.3%	258	16.2%	271	17.1%	1,588
WILKES	15	1.7%	535	59.7%	166	18.5%	180	20.1%	896
WILSON	36	2.8%	775	61.1%	200	15.8%	258	20.3%	1,269
YADKIN	12	2.4%	292	58.8%	75	15.1%	118	23.7%	497
YANCEY	10	2.6%	221	57.4%	66	17.1%	88	22.9%	385
Eastern Band of Cherokee Indians	2	1.0%	110	53.4%	40	19.4%	54	26.2%	206

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.