

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 4 years of age, By County, NC-NPASS*, 2004**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	3,419	4.2%	53,080	65.3%	12,672	15.6%	12,076	14.9%	81,247
ALAMANCE	16	1.6%	607	61.6%	176	17.9%	186	18.9%	985
ALEXANDER	16	4.8%	207	61.6%	59	17.6%	54	16.1%	336
ALLEGHANY	3	2.2%	70	51.9%	30	22.2%	32	23.7%	135
ANSON	29	7.2%	268	66.3%	51	12.6%	56	13.9%	404
ASHE	19	6.2%	221	71.8%	32	10.4%	36	11.7%	308
AVERY	0	0.0%	132	70.6%	22	11.8%	33	17.6%	187
BEAUFORT	11	1.9%	369	64.5%	99	17.3%	93	16.3%	572
BERTIE	20	5.9%	224	66.5%	46	13.6%	47	13.9%	337
BLADEN	28	6.4%	296	67.3%	64	14.5%	52	11.8%	440
BRUNSWICK	18	2.1%	569	67.3%	141	16.7%	118	13.9%	846
BUNCOMBE	64	3.4%	1,169	61.7%	333	17.6%	328	17.3%	1,894
BURKE	25	3.6%	475	67.7%	116	16.5%	86	12.3%	702
CABARRUS	80	4.7%	1,119	65.7%	278	16.3%	225	13.2%	1,702
CALDWELL	40	3.6%	717	64.6%	196	17.7%	157	14.1%	1,110
CAMDEN	19	17.0%	80	71.4%	6	5.4%	7	6.3%	112
CARTERET	12	2.8%	264	62.1%	69	16.2%	80	18.8%	425
CASWELL	8	4.3%	134	72.0%	19	10.2%	25	13.4%	186
CATAWBA	14	2.2%	390	60.6%	130	20.2%	110	17.1%	644
CHATHAM	11	2.3%	289	60.2%	87	18.1%	93	19.4%	480
CHEROKEE	6	4.3%	86	61.0%	22	15.6%	27	19.1%	141
CHOWAN	4	1.7%	147	61.5%	47	19.7%	41	17.2%	239
CLAY	5	4.6%	61	56.5%	14	13.0%	28	25.9%	108
CLEVELAND	73	7.6%	653	67.9%	127	13.2%	109	11.3%	962
COLUMBUS	35	4.2%	559	66.5%	121	14.4%	125	14.9%	840
CRAVEN	43	4.4%	656	66.7%	153	15.6%	131	13.3%	983

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 4 years of age, By County, NC-NPASS*, 2004**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	3,419	4.2%	53,080	65.3%	12,672	15.6%	12,076	14.9%	81,247
CUMBERLAND	307	6.5%	3,358	71.5%	610	13.0%	424	9.0%	4,699
CURRITUCK	5	3.2%	103	65.6%	32	20.4%	17	10.8%	157
DARE	6	2.8%	136	64.5%	42	19.9%	27	12.8%	211
DAVIDSON	45	3.7%	851	69.9%	176	14.4%	146	12.0%	1,218
DAVIE	2	0.7%	197	65.2%	44	14.6%	59	19.5%	302
DUPLIN	95	11.9%	448	56.3%	111	13.9%	142	17.8%	796
DURHAM	134	6.3%	1,327	62.4%	271	12.7%	396	18.6%	2,128
EDGECOMBE	25	2.9%	571	66.2%	132	15.3%	135	15.6%	863
FORSYTH	88	3.0%	1,854	64.1%	495	17.1%	457	15.8%	2,894
FRANKLIN	23	4.1%	369	65.2%	100	17.7%	74	13.1%	566
GASTON	31	3.2%	662	68.0%	135	13.9%	146	15.0%	974
GATES	3	2.6%	75	65.8%	22	19.3%	14	12.3%	114
GRAHAM	0	0.0%	89	74.8%	9	7.6%	21	17.6%	119
GRANVILLE	22	4.2%	327	62.0%	80	15.2%	98	18.6%	527
GREENE	11	2.6%	281	67.5%	60	14.4%	64	15.4%	416
GUILFORD	121	4.2%	2,044	70.6%	391	13.5%	341	11.8%	2,897
HALIFAX	28	3.3%	558	66.4%	114	13.6%	140	16.7%	840
HARNETT	46	3.9%	737	62.8%	217	18.5%	174	14.8%	1,174
HAYWOOD	11	4.7%	144	61.0%	42	17.8%	39	16.5%	236
HENDERSON	12	2.4%	326	66.0%	82	16.6%	74	15.0%	494
HERTFORD	9	2.7%	208	63.4%	59	18.0%	52	15.9%	328
HOKE	31	4.0%	486	62.5%	121	15.6%	139	17.9%	777
HYDE	3	4.1%	49	66.2%	10	13.5%	12	16.2%	74
IREDELL	34	2.9%	846	71.0%	168	14.1%	144	12.1%	1,192
JACKSON	5	1.8%	164	60.3%	54	19.9%	49	18.0%	272

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
2 through 4 years of age, By County, NC-NPASS*, 2004**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	3,419	4.2%	53,080	65.3%	12,672	15.6%	12,076	14.9%	81,247
JOHNSTON	34	3.4%	618	61.6%	179	17.8%	173	17.2%	1,004
JONES	4	2.8%	96	66.7%	24	16.7%	20	13.9%	144
LEE	18	2.8%	401	61.8%	117	18.0%	113	17.4%	649
LENOIR	71	9.6%	523	71.0%	74	10.0%	69	9.4%	737
LINCOLN	35	13.0%	192	71.1%	23	8.5%	20	7.4%	270
MACON	7	2.2%	199	63.6%	57	18.2%	50	16.0%	313
MADISON	7	2.9%	145	59.2%	41	16.7%	52	21.2%	245
MARTIN	23	7.7%	185	61.7%	44	14.7%	48	16.0%	300
MCDOWELL	35	6.4%	374	68.2%	80	14.6%	59	10.8%	548
MECKLENBURG	183	3.9%	2,903	62.5%	807	17.4%	755	16.2%	4,648
MITCHELL	7	3.7%	122	64.2%	26	13.7%	35	18.4%	190
MONTGOMERY	17	3.2%	320	60.8%	92	17.5%	97	18.4%	526
MOORE	24	3.0%	515	63.7%	149	18.4%	120	14.9%	808
NASH	52	5.7%	591	65.3%	140	15.5%	122	13.5%	905
NEW HANOVER	32	3.1%	671	65.2%	158	15.4%	168	16.3%	1,029
NORTHAMPTON	18	5.2%	222	63.8%	50	14.4%	58	16.7%	348
ONslow	69	2.8%	1,808	72.3%	372	14.9%	253	10.1%	2,502
ORANGE	28	3.3%	466	55.7%	161	19.2%	182	21.7%	837
PAMLICO	3	1.9%	91	58.3%	30	19.2%	32	20.5%	156
PASQUOTANK	23	4.8%	323	67.9%	75	15.8%	55	11.6%	476
PENDER	40	7.7%	346	66.7%	61	11.8%	72	13.9%	519
PERQUIMANS	2	1.7%	70	59.3%	26	22.0%	20	16.9%	118
PERSON	5	1.3%	272	71.0%	56	14.6%	50	13.1%	383
PITT	46	2.6%	1,163	65.7%	292	16.5%	268	15.1%	1,769
POLK	3	2.1%	94	64.4%	26	17.8%	23	15.8%	146

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 2 through 4 years of age, By County, NC-NPASS*, 2004

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	3,419	4.2%	53,080	65.3%	12,672	15.6%	12,076	14.9%	81,247
RANDOLPH	27	2.2%	672	55.6%	229	19.0%	280	23.2%	1,208
RICHMOND	124	13.8%	611	67.8%	79	8.8%	87	9.7%	901
ROBESON	130	6.6%	1,283	65.2%	286	14.5%	269	13.7%	1,968
ROCKINGHAM	70	7.3%	659	68.7%	112	11.7%	118	12.3%	959
ROWAN	23	2.0%	730	64.7%	195	17.3%	180	16.0%	1,128
RUTHERFORD	32	4.4%	488	67.8%	106	14.7%	94	13.1%	720
SAMPSON	68	7.0%	603	62.0%	136	14.0%	165	17.0%	972
SCOTLAND	25	4.1%	409	66.9%	85	13.9%	92	15.1%	611
STANLY	24	4.5%	378	70.9%	72	13.5%	59	11.1%	533
STOKES	12	2.9%	275	67.1%	64	15.6%	59	14.4%	410
SURRY	15	6.4%	159	67.7%	28	11.9%	33	14.0%	235
SWAIN	7	4.5%	116	73.9%	23	14.6%	11	7.0%	157
TRANSYLVANIA	9	3.5%	168	65.6%	47	18.4%	32	12.5%	256
TYRRELL	5	4.5%	73	66.4%	16	14.5%	16	14.5%	110
UNION	38	3.1%	821	66.4%	202	16.3%	175	14.2%	1,236
VANCE	31	4.3%	469	65.2%	110	15.3%	109	15.2%	719
WAKE	147	2.8%	3,365	64.0%	893	17.0%	852	16.2%	5,257
WARREN	16	4.4%	254	70.6%	52	14.4%	38	10.6%	360
WASHINGTON	29	10.5%	184	66.4%	34	12.3%	30	10.8%	277
WATAUGA	12	3.8%	211	67.2%	49	15.6%	42	13.4%	314
WAYNE	34	2.4%	927	64.9%	232	16.2%	235	16.5%	1,428
WILKES	9	1.2%	430	59.6%	138	19.1%	144	20.0%	721
WILSON	32	3.1%	641	61.2%	170	16.2%	204	19.5%	1,047
YADKIN	9	2.7%	212	63.1%	46	13.7%	69	20.5%	336
YANCEY	7	2.7%	150	57.3%	53	20.2%	52	19.8%	262
Eastern Band of Cherokee Indians	2	1.0%	110	53.4%	40	19.4%	54	26.2%	206

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.