

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
5 through 11 years of age, By County, NC-NPASS*, 2004**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	472	3.5%	7,713	56.7%	2,180	16.0%	3,240	23.8%	13,605
ALAMANCE	5	3.8%	82	63.1%	14	10.8%	29	22.3%	130
ALEXANDER	0	0.0%	24	54.5%	9	20.5%	11	25.0%	44
ALLEGHANY	0	0.0%	19	55.9%	6	17.6%	9	26.5%	34
ANSON	1	1.6%	44	69.8%	7	11.1%	11	17.5%	63
ASHE	6	5.4%	70	63.1%	12	10.8%	23	20.7%	111
AVERY	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
BEAUFORT	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
BERTIE	8	7.0%	59	51.3%	17	14.8%	31	27.0%	115
BLADEN	2	4.3%	27	57.4%	5	10.6%	13	27.7%	47
BRUNSWICK	9	4.0%	115	51.1%	42	18.7%	59	26.2%	225
BUNCOMBE	17	2.1%	415	51.7%	139	17.3%	232	28.9%	803
BURKE	0	0.0%	22	57.9%	8	21.1%	8	21.1%	38
CABARRUS	20	5.6%	221	62.4%	49	13.8%	64	18.1%	354
CALDWELL	12	3.6%	185	55.6%	47	14.1%	89	26.7%	333
CAMDEN	2	5.0%	23	57.5%	4	10.0%	11	27.5%	40
CARTERET	1	5.6%	10	55.6%	4	22.2%	3	16.7%	18
CASWELL	10	22.7%	23	52.3%	5	11.4%	6	13.6%	44
CATAWBA	2	1.6%	70	56.5%	26	21.0%	26	21.0%	124
CHATHAM	0	0.0%	10	50.0%	1	5.0%	9	45.0%	20
CHEROKEE	0	0.0%	13	43.3%	7	23.3%	10	33.3%	30
CHOWAN	1	0.8%	72	56.3%	24	18.8%	31	24.2%	128
CLAY	1	2.9%	27	77.1%	2	5.7%	5	14.3%	35
CLEVELAND	14	3.7%	229	61.1%	73	19.5%	59	15.7%	375
COLUMBUS	8	6.8%	76	64.4%	15	12.7%	19	16.1%	118
CRAVEN	6	1.6%	181	47.6%	74	19.5%	119	31.3%	380

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
5 through 11 years of age, By County, NC-NPASS*, 2004**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	472	3.5%	7,713	56.7%	2,180	16.0%	3,240	23.8%	13,605
CUMBERLAND	23	5.4%	269	63.6%	52	12.3%	79	18.7%	423
CURRITUCK	4	6.9%	31	53.4%	5	8.6%	18	31.0%	58
DARE	0	0.0%	11	55.0%	4	20.0%	5	25.0%	20
DAVIDSON	2	2.5%	47	59.5%	14	17.7%	16	20.3%	79
DAVIE	4	4.3%	55	58.5%	17	18.1%	18	19.1%	94
DUPLIN	0	0.0%	37	57.8%	11	17.2%	16	25.0%	64
DURHAM	0	0.0%	0	0.0%	0	0.0%	1	100.0%	1
EDGECOMBE	4	4.0%	56	56.0%	14	14.0%	26	26.0%	100
FORSYTH	0	0.0%	29	65.9%	6	13.6%	9	20.5%	44
FRANKLIN	6	2.1%	154	53.5%	60	20.8%	68	23.6%	288
GASTON	12	2.8%	272	62.4%	56	12.8%	96	22.0%	436
GATES	0	0.0%	17	54.8%	5	16.1%	9	29.0%	31
GRAHAM	0	0.0%	47	68.1%	9	13.0%	13	18.8%	69
GRANVILLE	6	3.6%	84	50.3%	32	19.2%	45	26.9%	167
GREENE	3	3.2%	55	57.9%	21	22.1%	16	16.8%	95
GUILFORD	0	0.0%	1	100.0%	0	0.0%	0	0.0%	1
HALIFAX	11	4.7%	123	53.0%	41	17.7%	57	24.6%	232
HARNETT	12	2.5%	267	54.7%	101	20.7%	108	22.1%	488
HAYWOOD	1	2.1%	27	56.3%	4	8.3%	16	33.3%	48
HENDERSON	1	1.2%	46	54.1%	17	20.0%	21	24.7%	85
HERTFORD	1	6.3%	7	43.8%	3	18.8%	5	31.3%	16
HOKE	15	6.3%	140	58.6%	32	13.4%	52	21.8%	239
HYDE	0	0.0%	1	100.0%	0	0.0%	0	0.0%	1
IREDELL	8	7.3%	69	63.3%	13	11.9%	19	17.4%	109
JACKSON	1	2.9%	15	42.9%	5	14.3%	14	40.0%	35

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
5 through 11 years of age, By County, NC-NPASS*, 2004**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	472	3.5%	7,713	56.7%	2,180	16.0%	3,240	23.8%	13,605
JOHNSTON	4	1.1%	179	49.3%	57	15.7%	123	33.9%	363
JONES	2	2.9%	30	42.9%	12	17.1%	26	37.1%	70
LEE	0	0.0%	28	54.9%	15	29.4%	8	15.7%	51
LENOIR	17	13.4%	84	66.1%	9	7.1%	17	13.4%	127
LINCOLN	3	4.6%	42	64.6%	10	15.4%	10	15.4%	65
MACON	0	0.0%	31	70.5%	5	11.4%	8	18.2%	44
MADISON	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
MARTIN	2	3.1%	32	49.2%	10	15.4%	21	32.3%	65
MCDOWELL	2	4.4%	28	62.2%	11	24.4%	4	8.9%	45
MECKLENBURG	5	14.7%	25	73.5%	2	5.9%	2	5.9%	34
MITCHELL	0	0.0%	16	57.1%	3	10.7%	9	32.1%	28
MONTGOMERY	1	0.9%	56	50.9%	22	20.0%	31	28.2%	110
MOORE	5	3.9%	75	58.1%	22	17.1%	27	20.9%	129
NASH	13	6.5%	110	55.3%	32	16.1%	44	22.1%	199
NEW HANOVER	1	0.7%	87	64.0%	20	14.7%	28	20.6%	136
NORTHAMPTON	2	1.3%	76	50.7%	24	16.0%	48	32.0%	150
ONslow	7	4.9%	91	63.2%	19	13.2%	27	18.8%	144
ORANGE	2	5.3%	22	57.9%	5	13.2%	9	23.7%	38
PAMLICO	0	0.0%	37	54.4%	9	13.2%	22	32.4%	68
PASQUOTANK	12	4.4%	138	50.9%	45	16.6%	76	28.0%	271
PENDER	5	3.5%	82	56.9%	18	12.5%	39	27.1%	144
PERQUIMANS	2	3.3%	27	45.0%	12	20.0%	19	31.7%	60
PERSON	2	3.6%	31	55.4%	8	14.3%	15	26.8%	56
PITT	4	3.4%	70	59.3%	20	16.9%	24	20.3%	118
POLK	0	0.0%	8	61.5%	3	23.1%	2	15.4%	13

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children
5 through 11 years of age, By County, NC-NPASS*, 2004**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	472	3.5%	7,713	56.7%	2,180	16.0%	3,240	23.8%	13,605
RANDOLPH	6	5.0%	64	53.3%	32	26.7%	18	15.0%	120
RICHMOND	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
ROBESON	29	5.7%	317	62.6%	63	12.5%	97	19.2%	506
ROCKINGHAM	16	5.1%	171	54.1%	54	17.1%	75	23.7%	316
ROWAN	1	2.1%	21	43.8%	9	18.8%	17	35.4%	48
RUTHERFORD	5	4.2%	64	54.2%	25	21.2%	24	20.3%	118
SAMPSON	4	10.8%	23	62.2%	5	13.5%	5	13.5%	37
SCOTLAND	0	0.0%	3	60.0%	0	0.0%	2	40.0%	5
STANLY	2	8.3%	17	70.8%	1	4.2%	4	16.7%	24
STOKES	7	3.5%	108	54.0%	15	7.5%	70	35.0%	200
SURRY	5	2.0%	151	61.6%	27	11.0%	62	25.3%	245
SWAIN	1	5.3%	11	57.9%	4	21.1%	3	15.8%	19
TRANSYLVANIA	0	0.0%	7	77.8%	0	0.0%	2	22.2%	9
TYRRELL	2	3.2%	27	43.5%	9	14.5%	24	38.7%	62
UNION	5	4.1%	71	58.2%	17	13.9%	29	23.8%	122
VANCE	3	2.3%	72	54.5%	19	14.4%	38	28.8%	132
WAKE	28	2.2%	740	57.3%	249	19.3%	275	21.3%	1,292
WARREN	7	4.6%	87	56.9%	24	15.7%	35	22.9%	153
WASHINGTON	3	3.3%	49	54.4%	11	12.2%	27	30.0%	90
WATAUGA	4	3.5%	63	54.8%	17	14.8%	31	27.0%	115
WAYNE	2	1.7%	66	55.9%	22	18.6%	28	23.7%	118
WILKES	3	2.7%	72	64.3%	16	14.3%	21	18.8%	112
WILSON	4	1.9%	126	58.9%	30	14.0%	54	25.2%	214
YADKIN	3	2.3%	66	51.6%	20	15.6%	39	30.5%	128
YANCEY	2	3.3%	35	58.3%	6	10.0%	17	28.3%	60

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.