



Percent of Children 2 to 4 Years of Age Who Are Overweight¹, NC-NPASS² 2004



¹ BMI-for-Age Percentile ≥ 95 th

² North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.


Percent of Children 5 to 11 Years of Age Who Are Overweight¹, NC-NPASS² 2004



¹ BMI-for-Age Percentile ≥ 95 th

² North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.


Percent of Children 12 to 18 Years of Age Who Are Overweight¹, NC-NPASS² 2004



¹ BMI-for-Age Percentile ≥ 95 th

² North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.

Prevalence of At-Risk for Overweight (BMI [≥]85th and <95th Percentile) in Children 2 to 18 Years of Age NC-NPASS¹ 2004



¹ North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Percentiles were based on the CDC/NCHS Year 2000 Body Mass Index (BMI) Reference.