

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in
Children 12 through 18 years of age, By County, NC-NPASS*, 2005**

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	123	1.6%	4,168	53.0%	1,422	18.1%	2,144	27.3%	7,857
ALAMANCE	1	5.0%	10	50.0%	2	10.0%	7	35.0%	20
ALEXANDER	0	0.0%	2	66.7%	0	0.0%	1	33.3%	3
ALLEGHANY	1	8.3%	8	66.7%	0	0.0%	3	25.0%	12
ANSON	0	0.0%	11	68.8%	2	12.5%	3	18.8%	16
ASHE	4	2.5%	73	45.9%	36	22.6%	46	28.9%	159
AVERY	0	0.0%	7	63.6%	2	18.2%	2	18.2%	11
BEAUFORT*	0		0		0		0		0
BERTIE	0	0.0%	23	45.1%	14	27.5%	14	27.5%	51
BLADEN	0	0.0%	9	75.0%	2	16.7%	1	8.3%	12
BRUNSWICK	3	4.2%	35	48.6%	16	22.2%	18	25.0%	72
BUNCOMBE	7	0.6%	664	53.0%	233	18.6%	349	27.9%	1,253
BURKE	0	0.0%	0	0.0%	0	0.0%	1	100.0%	1
CABARRUS	0	0.0%	54	51.9%	21	20.2%	29	27.9%	104
CALDWELL	2	0.8%	139	57.0%	44	18.0%	59	24.2%	244
CAMDEN	0	0.0%	7	77.8%	0	0.0%	2	22.2%	9
CARTERET	0	0.0%	2	50.0%	0	0.0%	2	50.0%	4
CASWELL	0	0.0%	14	42.4%	4	12.1%	15	45.5%	33
CATAWBA	2	0.4%	281	51.8%	118	21.8%	141	26.0%	542
CHATHAM	0		0		0		0		0
CHEROKEE	0	0.0%	13	50.0%	1	3.8%	12	46.2%	26
CHOWAN	0	0.0%	33	51.6%	17	26.6%	14	21.9%	64
CLAY	1	4.5%	15	68.2%	2	9.1%	4	18.2%	22
CLEVELAND	8	8.9%	45	50.0%	15	16.7%	22	24.4%	90
COLUMBUS	1	6.3%	7	43.8%	0	0.0%	8	50.0%	16
CRAVEN	10	1.8%	287	52.0%	103	18.7%	152	27.5%	552

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 1 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in
Children 12 through 18 years of age, By County, NC-NPASS*, 2005**

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	123	1.6%	4,168	53.0%	1,422	18.1%	2,144	27.3%	7,857
CUMBERLAND	5	3.4%	89	61.4%	27	18.6%	24	16.6%	145
CURRITUCK	0	0.0%	7	46.7%	2	13.3%	6	40.0%	15
DARE	0	0.0%	1	25.0%	1	25.0%	2	50.0%	4
DAVIDSON	0	0.0%	5	50.0%	3	30.0%	2	20.0%	10
DAVIE	0	0.0%	12	54.5%	3	13.6%	7	31.8%	22
DUPLIN	0	0.0%	36	40.0%	21	23.3%	33	36.7%	90
DURHAM *	0	0.0%	1	50.0%	0	0.0%	1	50.0%	2
EDGECOMBE	0	0.0%	7	100.0%	0	0.0%	0	0.0%	7
FORSYTH *	0		0		0		0		0
FRANKLIN	1	0.5%	92	48.7%	32	16.9%	64	33.9%	189
GASTON	2	1.8%	60	52.6%	15	13.2%	37	32.5%	114
GATES	0	0.0%	4	40.0%	2	20.0%	4	40.0%	10
GRAHAM	0	0.0%	16	57.1%	4	14.3%	8	28.6%	28
GRANVILLE	1	1.0%	50	51.5%	16	16.5%	30	30.9%	97
GREENE	2	4.5%	28	63.6%	7	15.9%	7	15.9%	44
GUILFORD *	0		0		0		0		0
HALIFAX	3	1.8%	79	46.7%	25	14.8%	62	36.7%	169
HARNETT	3	1.5%	114	55.9%	42	20.6%	45	22.1%	204
HAYWOOD	0	0.0%	12	60.0%	1	5.0%	7	35.0%	20
HENDERSON	0	0.0%	20	54.1%	6	16.2%	11	29.7%	37
HERTFORD	0	0.0%	5	62.5%	0	0.0%	3	37.5%	8
HOKE	0	0.0%	53	66.3%	12	15.0%	15	18.8%	80
HYDE	0		0		0		0		0
IREDELL	0	0.0%	15	48.4%	3	9.7%	13	41.9%	31
JACKSON	0	0.0%	31	59.6%	7	13.5%	14	26.9%	52

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 2 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in
Children 12 through 18 years of age, By County, NC-NPASS*, 2005**

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	123	1.6%	4,168	53.0%	1,422	18.1%	2,144	27.3%	7,857
JOHNSTON	1	0.5%	97	49.0%	31	15.7%	69	34.8%	198
JONES	3	2.1%	67	47.5%	31	22.0%	40	28.4%	141
LEE	0	0.0%	1	50.0%	1	50.0%	0	0.0%	2
LENOIR	0	0.0%	9	81.8%	1	9.1%	1	9.1%	11
LINCOLN	0	0.0%	25	65.8%	8	21.1%	5	13.2%	38
MACON	1	3.4%	16	55.2%	6	20.7%	6	20.7%	29
MADISON	0		0		0		0		0
MARTIN	1	3.6%	15	53.6%	4	14.3%	8	28.6%	28
MCDOWELL	0	0.0%	5	62.5%	1	12.5%	2	25.0%	8
MECKLENBURG *	3	4.2%	61	84.7%	4	5.6%	4	5.6%	72
MITCHELL	0	0.0%	6	50.0%	2	16.7%	4	33.3%	12
MONTGOMERY	0	0.0%	12	52.2%	3	13.0%	8	34.8%	23
MOORE	1	12.5%	6	75.0%	1	12.5%	0	0.0%	8
NASH	2	10.5%	11	57.9%	2	10.5%	4	21.1%	19
NEW HANOVER	0	0.0%	29	67.4%	3	7.0%	11	25.6%	43
NORTHAMPTON	3	5.0%	28	46.7%	10	16.7%	19	31.7%	60
ONslow	0	0.0%	3	25.0%	1	8.3%	8	66.7%	12
ORANGE	0	0.0%	6	66.7%	1	11.1%	2	22.2%	9
PAMLICO	0	0.0%	60	47.2%	31	24.4%	36	28.3%	127
PASQUOTANK	6	2.9%	106	50.7%	35	16.7%	62	29.7%	209
PENDER	3	2.4%	54	42.5%	26	20.5%	44	34.6%	127
PERQUIMANS	1	2.9%	18	52.9%	6	17.6%	9	26.5%	34
PERSON	1	3.3%	14	46.7%	4	13.3%	11	36.7%	30
PITT	0	0.0%	0	0.0%	0	0.0%	1	100.0%	1
POLK	0	0.0%	3	100.0%	0	0.0%	0	0.0%	3

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 3 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in
Children 12 through 18 years of age, By County, NC-NPASS*, 2005**

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	123	1.6%	4,168	53.0%	1,422	18.1%	2,144	27.3%	7,857
RANDOLPH	1	8.3%	6	50.0%	4	33.3%	1	8.3%	12
RICHMOND	0		0		0		0		0
ROBESON	8	4.0%	108	54.5%	34	17.2%	48	24.2%	198
ROCKINGHAM	2	1.4%	74	50.7%	25	17.1%	45	30.8%	146
ROWAN	0	0.0%	7	36.8%	4	21.1%	8	42.1%	19
RUTHERFORD	1	5.3%	8	42.1%	5	26.3%	5	26.3%	19
SAMPSON	0	0.0%	0	0.0%	3	100.0%	0	0.0%	3
SCOTLAND	0		0		0		0		0
STANLY	1	9.1%	6	54.5%	2	18.2%	2	18.2%	11
STOKES	3	2.0%	78	51.7%	19	12.6%	51	33.8%	151
SURRY	3	1.1%	140	51.9%	53	19.6%	74	27.4%	270
SWAIN	0		0		0		0		0
TRANSYLVANIA	0		0		0		0		0
TYRRELL	0	0.0%	5	41.7%	2	16.7%	5	41.7%	12
UNION	0	0.0%	24	57.1%	8	19.0%	10	23.8%	42
VANCE	1	1.9%	22	42.3%	11	21.2%	18	34.6%	52
WAKE	3	0.7%	256	56.9%	90	20.0%	101	22.4%	450
WARREN	4	3.3%	67	54.9%	22	18.0%	29	23.8%	122
WASHINGTON	0	0.0%	5	55.6%	1	11.1%	3	33.3%	9
WATAUGA	7	3.3%	124	58.8%	35	16.6%	45	21.3%	211
WAYNE	3	8.1%	20	54.1%	6	16.2%	8	21.6%	37
WILKES	2	2.8%	42	59.2%	13	18.3%	14	19.7%	71
WILSON	0	0.0%	4	40.0%	3	30.0%	3	30.0%	10
YADKIN	1	7.7%	8	61.5%	1	7.7%	3	23.1%	13
YANCEY	0	0.0%	36	59.0%	8	13.1%	17	27.9%	61

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 4 of 4