

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in
Children 5 through 11 years of age, By County, NC-NPASS*, 2005**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	498	3.5%	7,977	55.8%	2,318	16.2%	3,500	24.5%	14,293
ALAMANCE	5	3.4%	88	59.5%	21	14.2%	34	23.0%	148
ALEXANDER	0	0.0%	18	52.9%	8	23.5%	8	23.5%	34
ALLEGHANY	0	0.0%	12	42.9%	4	14.3%	12	42.9%	28
ANSON	4	8.9%	28	62.2%	4	8.9%	9	20.0%	45
ASHE	5	3.8%	73	55.3%	22	16.7%	32	24.2%	132
AVERY	1	16.7%	3	50.0%	0	0.0%	2	33.3%	6
BEAUFORT	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
BERTIE	4	4.5%	47	53.4%	13	14.8%	24	27.3%	88
BLADEN	2	3.1%	31	47.7%	8	12.3%	24	36.9%	65
BRUNSWICK	14	6.1%	128	55.9%	43	18.8%	44	19.2%	229
BUNCOMBE	24	2.7%	458	52.3%	143	16.3%	250	28.6%	875
BURKE	3	7.1%	20	47.6%	11	26.2%	8	19.0%	42
CABARRUS	7	1.7%	240	59.1%	63	15.5%	96	23.6%	406
CALDWELL	23	6.7%	186	54.4%	55	16.1%	78	22.8%	342
CAMDEN	3	10.3%	20	69.0%	3	10.3%	3	10.3%	29
CARTERET	0	0.0%	3	50.0%	2	33.3%	1	16.7%	6
CASWELL	3	4.3%	32	45.7%	15	21.4%	20	28.6%	70
CATAWBA	5	3.4%	85	57.0%	30	20.1%	29	19.5%	149
CHATHAM	0	0.0%	5	62.5%	1	12.5%	2	25.0%	8
CHEROKEE	0	0.0%	16	59.3%	6	22.2%	5	18.5%	27
CHOWAN	2	2.4%	48	57.1%	14	16.7%	20	23.8%	84
CLAY	3	5.6%	36	66.7%	7	13.0%	8	14.8%	54
CLEVELAND	23	6.6%	223	63.5%	41	11.7%	64	18.2%	351
COLUMBUS	3	3.8%	46	57.5%	12	15.0%	19	23.8%	80
CRAVEN	9	1.5%	291	48.4%	119	19.8%	182	30.3%	601

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 1 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in
Children 5 through 11 years of age, By County, NC-NPASS*, 2005**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	498	3.5%	7,977	55.8%	2,318	16.2%	3,500	24.5%	14,293
CUMBERLAND	21	6.5%	197	61.0%	41	12.7%	64	19.8%	323
CURRITUCK	2	3.9%	31	60.8%	6	11.8%	12	23.5%	51
DARE	0	0.0%	7	43.8%	4	25.0%	5	31.3%	16
DAVIDSON	4	5.3%	40	52.6%	17	22.4%	15	19.7%	76
DAVIE	3	3.8%	41	52.6%	13	16.7%	21	26.9%	78
DUPLIN	3	3.4%	51	57.3%	12	13.5%	23	25.8%	89
DURHAM	1	50.0%	0	0.0%	0	0.0%	1	50.0%	2
EDGECOMBE	5	7.4%	32	47.1%	9	13.2%	22	32.4%	68
FORSYTH	0	0.0%	22	59.5%	6	16.2%	9	24.3%	37
FRANKLIN	3	1.1%	153	53.7%	56	19.6%	73	25.6%	285
GASTON	20	4.4%	260	57.1%	76	16.7%	99	21.8%	455
GATES	0	0.0%	20	50.0%	9	22.5%	11	27.5%	40
GRAHAM	0	0.0%	40	65.6%	10	16.4%	11	18.0%	61
GRANVILLE	2	1.5%	59	45.0%	21	16.0%	49	37.4%	131
GREENE	4	3.3%	77	64.2%	18	15.0%	21	17.5%	120
GUILFORD	0	0.0%	5	62.5%	2	25.0%	1	12.5%	8
HALIFAX	6	2.6%	136	59.6%	28	12.3%	58	25.4%	228
HARNETT	17	4.2%	213	52.5%	60	14.8%	116	28.6%	406
HAYWOOD	0	0.0%	22	52.4%	8	19.0%	12	28.6%	42
HENDERSON	3	3.3%	44	48.4%	16	17.6%	28	30.8%	91
HERTFORD	0	0.0%	3	37.5%	3	37.5%	2	25.0%	8
HOKE	14	5.2%	162	60.4%	34	12.7%	58	21.6%	268
HYDE	0	0.0%	3	100.0%	0	0.0%	0	0.0%	3
IREDELL	4	2.4%	102	60.0%	21	12.4%	43	25.3%	170
JACKSON	0	0.0%	27	54.0%	8	16.0%	15	30.0%	50

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 2 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in
Children 5 through 11 years of age, By County, NC-NPASS*, 2005**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	498	3.5%	7,977	55.8%	2,318	16.2%	3,500	24.5%	14,293
JOHNSTON	6	1.4%	213	49.5%	93	21.6%	118	27.4%	430
JONES	3	2.9%	44	43.1%	26	25.5%	29	28.4%	102
LEE	1	2.2%	33	73.3%	5	11.1%	6	13.3%	45
LENOIR	16	9.5%	119	70.8%	16	9.5%	17	10.1%	168
LINCOLN	3	4.3%	38	55.1%	7	10.1%	21	30.4%	69
MACON	1	2.1%	32	68.1%	7	14.9%	7	14.9%	47
MADISON	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
MARTIN	6	7.3%	46	56.1%	15	18.3%	15	18.3%	82
MCDOWELL	2	4.2%	28	58.3%	6	12.5%	12	25.0%	48
MECKLENBURG	11	17.7%	43	69.4%	3	4.8%	5	8.1%	62
MITCHELL	1	3.6%	13	46.4%	4	14.3%	10	35.7%	28
MONTGOMERY	2	1.7%	53	46.1%	26	22.6%	34	29.6%	115
MOORE	8	6.0%	67	50.0%	25	18.7%	34	25.4%	134
NASH	12	6.2%	123	63.7%	28	14.5%	30	15.5%	193
NEW HANOVER	8	5.3%	83	55.3%	32	21.3%	27	18.0%	150
NORTHAMPTON	6	4.8%	55	44.0%	28	22.4%	36	28.8%	125
ONslow	3	3.3%	54	58.7%	10	10.9%	25	27.2%	92
ORANGE	2	3.1%	36	56.3%	11	17.2%	15	23.4%	64
PAMLICO	3	4.8%	34	54.0%	11	17.5%	15	23.8%	63
PASQUOTANK	18	4.9%	171	46.3%	68	18.4%	112	30.4%	369
PENDER	6	2.5%	131	55.0%	30	12.6%	71	29.8%	238
PERQUIMANS	3	6.4%	23	48.9%	7	14.9%	14	29.8%	47
PERSON	1	2.1%	26	55.3%	10	21.3%	10	21.3%	47
PITT	10	9.3%	59	55.1%	22	20.6%	16	15.0%	107
POLK	0	0.0%	4	40.0%	2	20.0%	4	40.0%	10

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 3 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in
Children 5 through 11 years of age, By County, NC-NPASS*, 2005**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
STATEWIDE	498	3.5%	7,977	55.8%	2,318	16.2%	3,500	24.5%	14,293
RANDOLPH	2	1.7%	75	62.5%	19	15.8%	24	20.0%	120
RICHMOND	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
ROBESON	24	4.4%	349	63.5%	65	11.8%	112	20.4%	550
ROCKINGHAM	9	3.0%	170	57.2%	43	14.5%	75	25.3%	297
ROWAN	1	1.8%	33	58.9%	11	19.6%	11	19.6%	56
RUTHERFORD	7	6.1%	65	57.0%	18	15.8%	24	21.1%	114
SAMPSON	1	2.3%	29	67.4%	6	14.0%	7	16.3%	43
SCOTLAND	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
STANLY	1	5.0%	7	35.0%	5	25.0%	7	35.0%	20
STOKES	6	3.2%	85	45.2%	33	17.6%	64	34.0%	188
SURRY	7	1.3%	301	53.9%	91	16.3%	159	28.5%	558
SWAIN	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0
TRANSYLVANIA	0	0.0%	8	88.9%	0	0.0%	1	11.1%	9
TYRRELL	0	0.0%	26	51.0%	13	25.5%	12	23.5%	51
UNION	3	1.9%	99	61.5%	28	17.4%	31	19.3%	161
VANCE	1	0.9%	58	50.9%	21	18.4%	34	29.8%	114
WAKE	21	1.6%	728	56.4%	220	17.1%	321	24.9%	1,290
WARREN	4	2.9%	79	56.8%	19	13.7%	37	26.6%	139
WASHINGTON	2	2.9%	44	64.7%	12	17.6%	10	14.7%	68
WATAUGA	6	4.7%	75	59.1%	18	14.2%	28	22.0%	127
WAYNE	3	3.4%	57	65.5%	12	13.8%	15	17.2%	87
WILKES	6	4.4%	84	61.8%	19	14.0%	27	19.9%	136
WILSON	2	1.0%	118	56.7%	34	16.3%	54	26.0%	208
YADKIN	1	1.6%	39	63.9%	10	16.4%	11	18.0%	61
YANCEY	4	7.1%	36	64.3%	6	10.7%	10	17.9%	56

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 4 of 4