

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 2 through 4 years of age, By County, NC-NPASS*, 2006

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		≥5th to <85th Percentile		≥85th to <95th Percentile			≥95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	3,723	4.0%	60,755	65.1%	14,647	15.7%	ORDER	14,155	15.2%	ORDER	93,280
ALAMANCE	20	1.6%	775	62.7%	249	20.1%	99	192	15.5%	57	1,236
ALEXANDER	13	3.0%	284	65.9%	70	16.2%	57	64	14.8%	43	431
ALLEGHANY	1	0.7%	82	60.3%	24	17.6%	79	29	21.3%	97	136
ANSON	41	9.8%	274	65.4%	47	11.2%	10	57	13.6%	29	419
ASHE	16	4.7%	227	66.4%	40	11.7%	11	59	17.3%	74	342
AVERY	5	2.5%	117	59.4%	37	18.8%	90	38	19.3%	89	197
BEAUFORT	16	2.4%	425	63.4%	100	14.9%	37	129	19.3%	88	670
BERTIE	24	5.7%	265	62.5%	64	15.1%	41	71	16.7%	71	424
BLADEN	29	5.1%	368	64.3%	81	14.2%	26	94	16.4%	67	572
BRUNSWICK	31	3.2%	625	64.9%	163	16.9%	68	144	15.0%	46	963
BUNCOMBE	57	2.7%	1,367	64.9%	363	17.2%	73	320	15.2%	54	2,107
BURKE	17	2.1%	542	66.3%	145	17.7%	81	113	13.8%	33	817
CABARRUS	60	2.7%	1,454	64.9%	376	16.8%	66	349	15.6%	59	2,239
CALDWELL	29	2.6%	685	61.9%	187	16.9%	67	206	18.6%	86	1,107
CAMDEN	13	11.6%	84	75.0%	4	3.6%	1	11	9.8%	9	112
CARTERET	10	2.7%	238	63.8%	73	19.6%	97	52	13.9%	36	373
CASWELL	7	2.4%	195	65.9%	53	17.9%	83	41	13.9%	34	296
CATAWBA	24	4.0%	364	60.2%	110	18.2%	85	107	17.7%	78	605
CHATHAM	25	3.2%	458	59.3%	148	19.2%	93	141	18.3%	83	772
CHEROKEE	6	4.8%	93	74.4%	19	15.2%	44	7	5.6%	1	125
CHOWAN	11	4.2%	161	61.5%	42	16.0%	52	48	18.3%	84	262
CLAY	5	3.8%	91	68.4%	17	12.8%	18	20	15.0%	49	133
CLEVELAND	74	6.6%	800	71.7%	119	10.7%	8	122	10.9%	13	1,115
COLUMBUS	41	4.6%	575	64.7%	139	15.6%	48	134	15.1%	50	889
CRAVEN	51	4.0%	815	64.7%	203	16.1%	54	191	15.2%	52	1,260

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 1 of 4

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 2 through 4 years of age, By County, NC-NPASS*, 2006

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	3,723	4.0%	60,755	65.1%	14,647	15.7%	ORDER	14,155	15.2%	ORDER	93,280
CUMBERLAND	353	7.3%	3,613	74.6%	513	10.6%	7	365	7.5%	3	4,844
CURRITUCK	10	4.2%	155	64.9%	40	16.7%	65	34	14.2%	39	239
DARE	7	2.7%	155	59.8%	45	17.4%	76	52	20.1%	93	259
DAVIDSON	54	5.0%	767	70.7%	137	12.6%	16	127	11.7%	15	1,085
DAVIE	11	2.6%	288	68.2%	66	15.6%	49	57	13.5%	26	422
DUPLIN	103	9.6%	627	58.4%	153	14.3%	29	190	17.7%	79	1,073
DURHAM	59	2.4%	1,251	51.7%	463	19.1%	92	648	26.8%	101	2,421
EDGECOMBE	34	3.7%	604	65.4%	133	14.4%	32	153	16.6%	68	924
FORSYTH	95	2.6%	2,386	65.8%	596	16.4%	60	547	15.1%	51	3,624
FRANKLIN	22	2.8%	496	64.0%	136	17.5%	77	121	15.6%	60	775
GASTON	55	4.3%	817	64.1%	212	16.6%	62	191	15.0%	47	1,275
GATES	4	3.5%	77	68.1%	14	12.4%	13	18	15.9%	64	113
GRAHAM	6	3.5%	110	63.6%	26	15.0%	39	31	17.9%	80	173
GRANVILLE	13	2.3%	370	66.8%	87	15.7%	50	84	15.2%	53	554
GREENE	20	4.0%	334	67.1%	70	14.1%	24	74	14.9%	45	498
GUILFORD	144	4.0%	2,428	67.1%	545	15.1%	40	499	13.8%	32	3,616
HALIFAX	44	4.5%	652	66.9%	146	15.0%	38	133	13.6%	30	975
HARNETT	48	3.4%	929	66.5%	224	16.0%	51	197	14.1%	38	1,398
HAYWOOD	12	3.0%	257	65.1%	60	15.2%	43	66	16.7%	70	395
HENDERSON	20	2.5%	494	62.4%	153	19.3%	94	125	15.8%	62	792
HERTFORD	18	5.3%	217	63.6%	61	17.9%	82	45	13.2%	24	341
HOKE	18	2.3%	481	60.1%	121	15.1%	42	180	22.5%	99	800
HYDE	3	3.6%	55	66.3%	12	14.5%	33	13	15.7%	61	83
IREDELL	75	4.6%	1,144	69.9%	214	13.1%	21	203	12.4%	19	1,636
JACKSON	7	2.1%	205	62.3%	55	16.7%	64	62	18.8%	87	329

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 2 of 4

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 2 through 4 years of age, By County, NC-NPASS*, 2006

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	3,723	4.0%	60,755	65.1%	14,647	15.7%	ORDER	14,155	15.2%	ORDER	93,280
JOHNSTON	53	4.4%	711	58.9%	206	17.1%	71	237	19.6%	90	1,207
JONES	5	3.1%	120	73.6%	24	14.7%	36	14	8.6%	5	163
LEE	21	2.7%	545	70.5%	110	14.2%	28	97	12.5%	20	773
LENOIR	79	10.5%	520	69.4%	65	8.7%	4	85	11.3%	14	749
LINCOLN	30	9.4%	235	73.4%	24	7.5%	2	31	9.7%	8	320
MACON	4	1.1%	228	65.1%	66	18.9%	91	52	14.9%	44	350
MADISON	8	3.3%	160	65.0%	40	16.3%	58	38	15.4%	56	246
MARTIN	12	3.2%	253	67.5%	65	17.3%	75	45	12.0%	16	375
MCDOWELL	18	3.2%	386	67.7%	87	15.3%	46	79	13.9%	35	570
MECKLENBURG	167	3.3%	3,164	62.4%	896	17.7%	80	847	16.7%	69	5,074
MITCHELL	13	6.3%	145	70.4%	27	13.1%	22	21	10.2%	10	206
MONTGOMERY	15	2.8%	326	60.4%	92	17.0%	70	107	19.8%	91	540
MOORE	23	3.2%	487	67.1%	128	17.6%	78	88	12.1%	17	726
NASH	66	8.3%	516	65.1%	95	12.0%	12	116	14.6%	41	793
NEW HANOVER	42	3.9%	738	68.3%	153	14.2%	25	148	13.7%	31	1,081
NORTHAMPTON	16	4.1%	233	59.0%	77	19.5%	96	69	17.5%	77	395
ONSLow	104	4.4%	1,655	70.6%	343	14.6%	35	241	10.3%	11	2,343
ORANGE	23	2.0%	710	62.2%	221	19.4%	95	187	16.4%	66	1,141
PAMLICO	2	1.2%	105	62.9%	30	18.0%	84	30	18.0%	81	167
PASQUOTANK	24	3.8%	413	66.1%	81	13.0%	20	107	17.1%	73	625
PENDER	18	3.2%	337	60.1%	92	16.4%	59	114	20.3%	95	561
PERQUIMANS	4	2.2%	108	59.0%	31	16.9%	69	40	21.9%	98	183
PERSON	15	3.4%	289	64.8%	74	16.6%	61	68	15.2%	55	446
PITT	46	2.6%	1,156	64.6%	309	17.3%	74	279	15.6%	58	1,790
POLK	4	2.5%	111	68.9%	23	14.3%	30	23	14.3%	40	161

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 3 of 4

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 2 through 4 years of age, By County, NC-NPASS*, 2006

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	3,723	4.0%	60,755	65.1%	14,647	15.7%	ORDER	14,155	15.2%	ORDER	93,280
RANDOLPH	39	2.6%	885	58.7%	277	18.4%	87	306	20.3%	94	1,507
RICHMOND	146	16.9%	571	66.2%	67	7.8%	3	78	9.0%	6	862
ROBESON	133	6.5%	1,382	67.2%	262	12.7%	17	279	13.6%	27	2,056
ROCKINGHAM	31	3.0%	699	68.6%	156	15.3%	47	133	13.1%	23	1,019
ROWAN	24	1.9%	761	59.4%	260	20.3%	100	236	18.4%	85	1,281
RUTHERFORD	39	4.8%	545	66.9%	117	14.4%	31	114	14.0%	37	815
SAMPSON	30	2.5%	684	58.1%	218	18.5%	88	245	20.8%	96	1,177
SCOTLAND	30	4.5%	469	69.6%	85	12.6%	15	90	13.4%	25	674
STANLY	44	7.8%	412	73.0%	61	10.8%	9	47	8.3%	4	564
STOKES	15	3.4%	280	63.5%	81	18.4%	86	65	14.7%	42	441
SURRY	28	4.6%	409	67.8%	88	14.6%	34	78	12.9%	22	603
SWAIN	1	0.6%	106	68.4%	22	14.2%	27	26	16.8%	72	155
TRANSYLVANIA	7	2.8%	163	64.7%	42	16.7%	63	40	15.9%	63	252
TYRRELL	5	3.7%	78	57.8%	17	12.6%	14	35	25.9%	100	135
UNION	51	3.1%	1,123	67.3%	268	16.1%	53	227	13.6%	28	1,669
VANCE	41	5.6%	501	68.3%	102	13.9%	23	89	12.1%	18	733
WAKE	214	3.1%	4,384	64.3%	1,107	16.2%	56	1,114	16.3%	65	6,819
WARREN	29	7.7%	270	72.0%	37	9.9%	6	39	10.4%	12	375
WASHINGTON	39	12.9%	213	70.5%	29	9.6%	5	21	7.0%	2	302
WATAUGA	10	3.1%	233	71.3%	42	12.8%	19	42	12.8%	21	327
WAYNE	24	1.6%	887	60.9%	293	20.1%	98	253	17.4%	76	1,457
WILKES	17	2.2%	461	60.7%	130	17.1%	72	152	20.0%	92	760
WILSON	24	2.0%	762	62.1%	228	18.6%	89	213	17.4%	75	1,227
YADKIN	19	4.3%	283	64.5%	71	16.2%	55	66	15.0%	48	439
YANCEY	7	2.7%	186	72.7%	39	15.2%	45	24	9.4%	7	256
Eastern Band of Cherokee Indians	3	2.1%	81	56.3%	34	23.6%	101	26	18.1%	82	144

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 4 of 4