

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 5 through 11 years of age, By County, NC-NPASS*, 2006

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	467	3.2%	7,967	54.7%	2,451	16.8%	ORDER	3,675	25.2%	ORDER	14,560
ALAMANCE	3	3.1%	55	57.3%	20	20.8%	83	18	18.8%	18	96
ALEXANDER	0	0.0%	5	45.5%	5	45.5%	92	1	9.1%	1	11
ALLEGHANY	2	4.7%	23	53.5%	8	18.6%	67	10	23.3%	41	43
ANSON	6	10.7%	32	57.1%	4	7.1%	5	14	25.0%	51	56
ASHE	4	5.4%	47	63.5%	8	10.8%	9	15	20.3%	24	74
AVERY	1	6.3%	11	68.8%	1	6.3%	4	3	18.8%	18	16
BEAUFORT							#N/A			#N/A	
BERTIE	0	0.0%	31	55.4%	12	21.4%	84	13	23.2%	40	56
BLADEN	5	5.0%	53	52.5%	16	15.8%	42	27	26.7%	67	101
BRUNSWICK	4	1.7%	146	61.3%	44	18.5%	66	44	18.5%	17	238
BUNCOMBE	17	2.2%	406	52.9%	143	18.6%	68	201	26.2%	63	767
BURKE	2	5.4%	23	62.2%	6	16.2%	44	6	16.2%	9	37
CABARRUS	11	2.6%	234	54.9%	73	17.1%	55	108	25.4%	55	426
CALDWELL	15	4.0%	216	57.4%	63	16.8%	50	82	21.8%	31	376
CAMDEN	2	9.1%	15	68.2%	3	13.6%	22	2	9.1%	1	22
CARTERET	0	0.0%	3	75.0%	0		#N/A	1	25.0%	51	4
CASWELL	3	4.0%	46	61.3%	10	13.3%	19	16	21.3%	28	75
CATAWBA	4	3.2%	69	55.6%	17	13.7%	23	34	27.4%	74	124
CHATHAM	1	5.0%	11	55.0%	5	25.0%	89	3	15.0%	7	20
CHEROKEE	1	7.1%	8	57.1%	3	21.4%	84	2	14.3%	6	14
CHOWAN	2	2.2%	53	57.6%	18	19.6%	74	19	20.7%	25	92
CLAY	3	5.0%	35	58.3%	9	15.0%	37	13	21.7%	29	60
CLEVELAND	22	5.5%	237	58.8%	59	14.6%	32	85	21.1%	26	403
COLUMBUS	0	0.0%	33	58.9%	8	14.3%	27	15	26.8%	68	56
CRAVEN	7	1.3%	260	48.3%	103	19.1%	71	168	31.2%	79	538

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 1 of 4

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 5 through 11 years of age, By County, NC-NPASS*, 2006

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	467	3.2%	7,967	54.7%	2,451	16.8%	ORDER	3,675	25.2%	ORDER	14,560
CUMBERLAND	5	5.9%	58	68.2%	12	14.1%	26	10	11.8%	5	85
CURRITUCK	1	2.0%	29	56.9%	9	17.6%	58	12	23.5%	45	51
DARE	0	0.0%	20	48.8%	7	17.1%	53	14	34.1%	85	41
DAVIDSON	1	1.8%	33	58.9%	11	19.6%	76	11	19.6%	23	56
DAVIE	3	2.1%	80	54.8%	24	16.4%	46	39	26.7%	66	146
DUPLIN	5	5.6%	40	44.9%	16	18.0%	63	28	31.5%	80	89
DURHAM			2	100.0%			#N/A			#N/A	2
EDGECOMBE	1	3.8%	14	53.8%	5	19.2%	72	6	23.1%	39	26
FORSYTH	0	0.0%	6	54.5%	2	18.2%	64	3	27.3%	72	11
FRANKLIN	3	0.8%	208	53.6%	78	20.1%	79	99	25.5%	57	388
GASTON	15	2.8%	295	55.0%	91	17.0%	52	135	25.2%	54	536
GATES	0	0.0%	27	60.0%	6	13.3%	19	12	26.7%	65	45
GRAHAM	5	8.1%	34	54.8%	9	14.5%	31	14	22.6%	34	62
GRANVILLE	5	3.5%	76	52.8%	24	16.7%	47	39	27.1%	71	144
GREENE	2	1.4%	89	61.4%	21	14.5%	30	33	22.8%	36	145
GUILFORD			3	100.0%			#N/A			#N/A	3
HALIFAX	5	1.9%	145	55.1%	44	16.7%	49	69	26.2%	64	263
HARNETT	6	1.4%	243	58.0%	75	17.9%	61	95	22.7%	35	419
HAYWOOD	2	3.6%	36	64.3%	8	14.3%	27	10	17.9%	14	56
HENDERSON	4	2.1%	104	53.9%	36	18.7%	69	49	25.4%	56	193
HERTFORD	1	9.1%	4	36.4%	3	27.3%	90	3	27.3%	72	11
HOKE	4	1.6%	71	28.1%	39	15.4%	40	139	54.9%	92	253
HYDE	1	6.3%	9	56.3%	3	18.8%	70	3	18.8%	18	16
IREDELL	4	2.7%	85	58.2%	23	15.8%	41	34	23.3%	44	146
JACKSON	1	3.0%	22	66.7%	2	6.1%	3	8	24.2%	49	33

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 2 of 4

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 5 through 11 years of age, By County, NC-NPASS*, 2006

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	467	3.2%	7,967	54.7%	2,451	16.8%	ORDER	3,675	25.2%	ORDER	14,560
JOHNSTON	11	2.7%	192	46.5%	86	20.8%	82	124	30.0%	78	413
JONES	1	5.0%	10	50.0%	2	10.0%	8	7	35.0%	88	20
LEE	3	5.7%	38	71.7%	6	11.3%	11	6	11.3%	4	53
LENOIR	23	14.4%	93	58.1%	15	9.4%	7	29	18.1%	16	160
LINCOLN	5	5.7%	51	58.6%	11	12.6%	18	20	23.0%	37	87
MACON	5	8.2%	36	59.0%	9	14.8%	33	11	18.0%	15	61
MADISON							#N/A			#N/A	
MARTIN	1	1.2%	48	59.3%	12	14.8%	35	20	24.7%	50	81
MCDOWELL	1	3.8%	14	53.8%	4	15.4%	39	7	26.9%	70	26
MECKLENBURG	19	22.1%	62	72.1%	5	5.8%	2			#N/A	86
MITCHELL	1	3.8%	19	73.1%	2	7.7%	6	4	15.4%	8	26
MONTGOMERY	5	3.7%	63	47.0%	27	20.1%	80	39	29.1%	76	134
MOORE	4	3.0%	75	56.0%	23	17.2%	57	32	23.9%	46	134
NASH	9	5.5%	103	63.2%	20	12.3%	16	31	19.0%	21	163
NEW HANOVER	1	1.3%	48	62.3%	15	19.5%	73	13	16.9%	13	77
NORTHAMPTON	1	0.9%	49	41.9%	29	24.8%	88	38	32.5%	83	117
ONSLow	4	7.0%	30	52.6%	1	1.8%	1	22	38.6%	91	57
ORANGE	1	1.4%	42	57.5%	11	15.1%	38	19	26.0%	62	73
PAMLICO	3	5.6%	29	53.7%	8	14.8%	35	14	25.9%	60	54
PASQUOTANK	14	3.9%	169	46.8%	73	20.2%	81	105	29.1%	75	361
PENDER	11	3.9%	143	50.9%	45	16.0%	43	82	29.2%	77	281
PERQUIMANS	0	0.0%	20	48.8%	7	17.1%	53	14	34.1%	85	41
PERSON	0	0.0%	26	51.0%	6	11.8%	13	19	37.3%	90	51
PITT	4	4.8%	54	64.3%	10	11.9%	14	16	19.0%	22	84
POLK	0	0.0%	9	50.0%	5	27.8%	91	4	22.2%	33	18

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 3 of 4

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 5 through 11 years of age, By County, NC-NPASS*, 2006

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	467	3.2%	7,967	54.7%	2,451	16.8%	ORDER	3,675	25.2%	ORDER	14,560
RANDOLPH	8	8.2%	66	68.0%	13	13.4%	21	10	10.3%	3	97
RICHMOND							#N/A			#N/A	
ROBESON	29	5.0%	338	58.5%	83	14.4%	29	128	22.1%	32	578
ROCKINGHAM	4	1.3%	147	46.7%	63	20.0%	78	101	32.1%	82	315
ROWAN	1	1.2%	43	50.0%	20	23.3%	87	22	25.6%	58	86
RUTHERFORD	8	9.2%	47	54.0%	12	13.8%	25	20	23.0%	37	87
SAMPSON	2	4.7%	26	60.5%	5	11.6%	12	10	23.3%	41	43
SCOTLAND							#N/A			#N/A	
STANLY	2	8.3%	15	62.5%	3	12.5%	17	4	16.7%	11	24
STOKES	11	4.4%	123	49.2%	37	14.8%	34	79	31.6%	81	250
SURRY	14	2.2%	354	55.1%	108	16.8%	51	167	26.0%	61	643
SWAIN							#N/A			#N/A	
TRANSYLVANIA	0	0.0%	4	44.4%	2	22.2%	86	3	33.3%	84	9
TYRRELL	4	4.8%	36	42.9%	15	17.9%	60	29	34.5%	87	84
UNION	7	2.7%	156	59.5%	36	13.7%	24	63	24.0%	48	262
VANCE	3	2.5%	63	52.9%	21	17.6%	58	32	26.9%	69	119
WAKE	29	2.1%	775	55.6%	255	18.3%	65	335	24.0%	47	1,394
WARREN	5	4.7%	52	48.6%	12	11.2%	10	38	35.5%	89	107
WASHINGTON	1	1.2%	51	59.3%	14	16.3%	45	20	23.3%	41	86
WATAUGA	3	2.6%	63	53.8%	21	17.9%	62	30	25.6%	59	117
WAYNE	1	1.1%	57	62.6%	18	19.8%	77	15	16.5%	10	91
WILKES	7	4.0%	109	62.3%	21	12.0%	15	38	21.7%	30	175
WILSON	6	3.4%	102	58.3%	30	17.1%	56	37	21.1%	27	175
YADKIN	3	1.8%	87	53.4%	32	19.6%	75	41	25.2%	53	163
YANCEY	3	4.2%	45	62.5%	12	16.7%	47	12	16.7%	11	72

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 4 of 4