

* NC-NPASS data is limited to children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. The number of measurements obtained per county varies, as shown in far right column.

Percentage of Overweight, At-Risk for Overweight, and Underweight in Children 5 - 11 Years of Age, By County, NC-NPASS* 2007

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	
STATEWIDE	424	3.0%	7,881	55.2%	2,416	16.9%	3,559	24.9%	14,280
ALAMANCE	2	3.8%	27	50.9%	13	24.5%	11	20.8%	53
ALEXANDER	0	0.0%	17	63.0%	5	18.5%	5	18.5%	27
ALLEGHANY	1	2.2%	21	45.7%	12	26.1%	12	26.1%	46
ANSON	2	3.9%	33	64.7%	5	9.8%	11	21.6%	51
ASHE	3	4.5%	36	54.5%	12	18.2%	15	22.7%	66
AVERY	1	4.8%	13	61.9%	5	23.8%	2	9.5%	21
BEAUFORT**									
BERTIE	2	3.3%	37	61.7%	8	13.3%	13	21.7%	60
BLADEN	7	6.0%	66	56.4%	20	17.1%	24	20.5%	117
BRUNSWICK	12	4.4%	169	61.9%	39	14.3%	53	19.4%	273
BUNCOMBE	10	1.6%	318	50.8%	120	19.2%	178	28.4%	626
BURKE	2	5.6%	18	50.0%	7	19.4%	9	25.0%	36
CABARRUS	7	1.5%	249	53.8%	71	15.3%	136	29.4%	463
CALDWELL	14	3.4%	230	55.3%	65	15.6%	107	25.7%	416
CAMDEN	1	8.3%	8	66.7%	1	8.3%	2	16.7%	12
CARTERET**									
CASWELL	5	5.3%	54	57.4%	10	10.6%	25	26.6%	94
CATAWBA	4	3.4%	72	61.5%	19	16.2%	22	18.8%	117
CHATHAM	0	0.0%	14	51.9%	7	25.9%	6	22.2%	27
CHEROKEE	1	2.9%	26	76.5%	3	8.8%	4	11.8%	34
CHOWAN	1	1.1%	60	63.2%	13	13.7%	21	22.1%	95
CLAY	1	1.7%	42	70.0%	10	16.7%	7	11.7%	60
CLEVELAND	18	4.8%	218	57.7%	63	16.7%	79	20.9%	378
COLUMBUS	0	0.0%	47	72.3%	7	10.8%	11	16.9%	65
CRAVEN	8	1.5%	301	54.6%	114	20.7%	128	23.2%	551
CUMBERLAND	0	0.0%	21	65.6%	2	6.3%	9	28.1%	32
CURRITUCK	0	0.0%	18	64.3%	2	7.1%	8	28.6%	28

** Health Department does not routinely collect data for this age group. Percentages were not calculated for counties with less than 10 in the Total Count.

* NC-NPASS data is limited to children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. The number of measurements obtained per county varies, as shown in far right column.

Percentage of Overweight, At-Risk for Overweight, and Underweight in Children 5 - 11 Years of Age, By County, NC-NPASS* 2007

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	
STATEWIDE	424	3.0%	7,881	55.2%	2,416	16.9%	3,559	24.9%	14,280
DARE	0	0.0%	40	59.7%	13	19.4%	14	20.9%	67
DAVIDSON	1	1.6%	26	41.3%	15	23.8%	21	33.3%	63
DAVIE	3	2.2%	80	58.0%	26	18.8%	29	21.0%	138
DUPLIN	2	1.3%	90	59.6%	21	13.9%	38	25.2%	151
DURHAM**									
EDGECOMBE**									
FORSYTH	0		13		4		1		18
FRANKLIN	6	1.5%	188	46.0%	96	23.5%	119	29.1%	409
GASTON	18	3.2%	309	55.7%	86	15.5%	142	25.6%	555
GATES	0	0.0%	17	47.2%	6	16.7%	13	36.1%	36
GRAHAM	3	5.6%	36	66.7%	3	5.6%	12	22.2%	54
GRANVILLE	1	0.7%	68	48.2%	29	20.6%	43	30.5%	141
GREENE	2	1.5%	80	59.3%	28	20.7%	25	18.5%	135
GUILFORD**									
HALIFAX	5	2.7%	102	55.7%	31	16.9%	45	24.6%	183
HARNETT	6	2.2%	153	57.1%	49	18.3%	60	22.4%	268
HAYWOOD	2	3.4%	32	55.2%	11	19.0%	13	22.4%	58
HENDERSON	4	2.2%	103	55.7%	29	15.7%	49	26.5%	185
HERTFORD	0	0.0%	5	50.0%	3	30.0%	2	20.0%	10
HOKE	7	2.1%	174	52.3%	65	19.5%	87	26.1%	333
HYDE**									
IREDELL	9	5.3%	99	58.2%	17	10.0%	45	26.5%	170
JACKSON	0	0.0%	24	57.1%	9	21.4%	9	21.4%	42
JOHNSTON	14	3.2%	202	46.1%	83	18.9%	139	31.7%	438
JONES	0	0.0%	13	52.0%	7	28.0%	5	20.0%	25
LEE	4	6.6%	45	73.8%	4	6.6%	8	13.1%	61
LENOIR	20	11.0%	105	58.0%	24	13.3%	32	17.7%	181

** Health Department does not routinely collect data for this age group. Percentages were not calculated for counties with less than 10 in the Total Count.

* NC-NPASS data is limited to children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. The number of measurements obtained per county varies, as shown in far right column.

Percentage of Overweight, At-Risk for Overweight, and Underweight in Children 5 - 11 Years of Age, By County, NC-NPASS* 2007

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	
STATEWIDE	424	3.0%	7,881	55.2%	2,416	16.9%	3,559	24.9%	14,280
LINCOLN	2	3.8%	30	57.7%	6	11.5%	14	26.9%	52
MACON	3	4.5%	39	58.2%	11	16.4%	14	20.9%	67
MADISON**									
MARTIN	1	1.1%	58	64.4%	15	16.7%	16	17.8%	90
MCDOWELL	0	0.0%	18	64.3%	2	7.1%	8	28.6%	28
MECKLENBURG	21	28.0%	47	62.7%	5	6.7%	2	2.7%	75
MITCHELL	2	15.4%	3	23.1%	2	15.4%	6	46.2%	13
MONTGOMERY	3	2.5%	70	57.9%	16	13.2%	32	26.4%	121
MOORE	7	4.5%	90	57.3%	20	12.7%	40	25.5%	157
NASH	5	2.6%	130	68.4%	32	16.8%	23	12.1%	190
NEW HANOVER	2	2.6%	48	61.5%	12	15.4%	16	20.5%	78
NORTHAMPTON	3	2.4%	72	57.6%	19	15.2%	31	24.8%	125
ONslow	7	8.1%	39	45.3%	6	7.0%	34	39.5%	86
ORANGE	0	0.0%	37	58.7%	7	11.1%	19	30.2%	63
PAMLICO	0	0.0%	14	53.8%	1	3.8%	11	42.3%	26
PASQUOTANK	5	1.6%	128	40.9%	82	26.2%	98	31.3%	313
PENDER	6	1.6%	185	48.7%	71	18.7%	118	31.1%	380
PERQUIMANS	1	2.0%	30	60.0%	7	14.0%	12	24.0%	50
PERSON	2	4.2%	21	43.8%	10	20.8%	15	31.3%	48
PITT	2	7.4%	16	59.3%	3	11.1%	6	22.2%	27
POLK	0	0.0%	8	42.1%	7	36.8%	4	21.1%	19
RANDOLPH	2	1.8%	78	71.6%	12	11.0%	17	15.6%	109
RICHMOND**									
ROBESON	42	6.5%	374	58.3%	100	15.6%	126	19.6%	642
ROCKINGHAM	6	1.9%	170	53.3%	53	16.6%	90	28.2%	319
ROWAN	0	0.0%	34	52.3%	12	18.5%	19	29.2%	65
RUTHERFORD	9	9.8%	57	62.0%	14	15.2%	12	13.0%	92

** Health Department does not routinely collect data for this age group. Percentages were not calculated for counties with less than 10 in the Total Count.

* NC-NPASS data is limited to children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. The number of measurements obtained per county varies, as shown in far right column.

Percentage of Overweight, At-Risk for Overweight, and Underweight in Children 5 - 11 Years of Age, By County, NC-NPASS* 2007

HEALTH DEPARTMENT (**counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL #
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	
STATEWIDE	424	3.0%	7,881	55.2%	2,416	16.9%	3,559	24.9%	14,280
SAMPSON	1	2.3%	24	55.8%	10	23.3%	8	18.6%	43
SCOTLAND**									
STANLY	3	7.9%	25	65.8%	2	5.3%	8	21.1%	38
STOKES	6	3.9%	90	58.8%	18	11.8%	39	25.5%	153
SURRY	13	2.0%	344	53.3%	125	19.3%	164	25.4%	646
SWAIN**									
TRANSYLVANIA	0	0.0%	10	62.5%	4	25.0%	2	12.5%	16
TYRRELL	2	2.8%	30	41.7%	17	23.6%	23	31.9%	72
UNION	8	2.6%	175	56.5%	49	15.8%	78	25.2%	310
VANCE	1	1.3%	41	53.9%	12	15.8%	22	28.9%	76
WAKE	16	1.3%	673	53.2%	215	17.0%	360	28.5%	1,264
WARREN	4	4.4%	51	56.0%	13	14.3%	23	25.3%	91
WASHINGTON	7	8.8%	37	46.3%	11	13.8%	25	31.3%	80
WATAUGA	2	1.8%	57	51.8%	16	14.5%	35	31.8%	110
WAYNE	3	3.9%	53	68.8%	13	16.9%	8	10.4%	77
WILKES	3	2.3%	83	63.8%	22	16.9%	22	16.9%	130
WILSON	4	2.0%	118	59.9%	30	15.2%	45	22.8%	197
YADKIN	8	4.4%	106	58.2%	23	12.6%	45	24.7%	182
YANCEY	2	2.9%	36	52.9%	17	25.0%	13	19.1%	68

** Health Department does not routinely collect data for this age group. Percentages were not calculated for counties with less than 10 in the Total Count.