

North Carolina Nutrition and Physical Activity Surveillance System* (NC-NPASS) 2008
Prevalence of Obesity, Overweight, Healthy Weight and Underweight in
Children 2 through 4 years of age, By County, NC-NPASS*, 2008

HEALTH DEPARTMENT	UNDERWEIGHT		HEALTHY WEIGHT		OVERWEIGHT			OBESE			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK ** ORDER	#	%	RANK ** ORDER	#
STATEWIDE	3,124	3.5%	58,447	64.8%	14,676	16.3%		13,880	15.4%		90,127
ALAMANCE	26	2.1%	792	64.0%	217	17.5%	67	202	16.3%	64	1,237
ALEXANDER	10	2.8%	253	69.7%	51	14.0%	19	49	13.5%	29	363
ALLEGHANY	2	1.7%	60	51.3%	26	22.2%	100	29	24.8%	98	117
ANSON	40	10.7%	253	67.5%	31	8.3%	1	51	13.6%	31	375
ASHE	12	4.0%	189	63.6%	48	16.2%	55	48	16.2%	60	297
AVERY	7	3.7%	136	71.2%	26	13.6%	14	22	11.5%	9	191
BEAUFORT	17	3.0%	378	66.1%	91	15.9%	49	86	15.0%	45	572
BERTIE	20	5.9%	205	60.8%	52	15.4%	38	60	17.8%	81	337
BLADEN	17	3.0%	344	61.2%	106	18.9%	88	95	16.9%	72	562
BRUNSWICK	28	3.0%	603	64.6%	168	18.0%	75	134	14.4%	36	933
BUNCOMBE	49	2.6%	1,202	64.5%	300	16.1%	54	314	16.8%	71	1,865
BURKE	23	2.9%	487	61.1%	140	17.6%	69	147	18.4%	88	797
CABARRUS	49	2.4%	1,220	60.1%	366	18.0%	77	394	19.4%	94	2,029
CALDWELL	16	2.1%	449	58.0%	169	21.8%	99	140	18.1%	85	774
CAMDEN	8	6.9%	74	63.8%	13	11.2%	8	21	18.1%	86	116
CARTERET	12	2.8%	281	65.2%	68	15.8%	44	70	16.2%	63	431
CASWELL	7	2.4%	214	74.0%	40	13.8%	17	28	9.7%	6	289
CATAWBA	20	1.5%	837	61.1%	285	20.8%	97	228	16.6%	67	1,370
CHATHAM	15	1.9%	474	61.6%	126	16.4%	58	155	20.1%	97	770
CHEROKEE	10	2.9%	248	71.1%	45	12.9%	11	46	13.2%	25	349
CHOWAN	10	4.6%	142	65.4%	33	15.2%	35	32	14.7%	42	217
CLAY	7	5.1%	84	60.9%	24	17.4%	66	23	16.7%	68	138
CLEVELAND	16	6.8%	142	60.7%	43	18.4%	82	33	14.1%	33	234
COLUMBUS	38	4.5%	535	62.8%	137	16.1%	53	142	16.7%	68	852
CRAVEN	42	3.2%	923	70.2%	185	14.1%	20	164	12.5%	19	1,314

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 1 of 4

North Carolina Nutrition and Physical Activity Surveillance System* (NC-NPASS) 2008
Prevalence of Obesity, Overweight, Healthy Weight and Underweight in
Children 2 through 4 years of age, By County, NC-NPASS*, 2008

HEALTH DEPARTMENT	UNDERWEIGHT		HEALTHY WEIGHT		OVERWEIGHT			OBESE			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK ** ORDER	#	%	RANK ** ORDER	#
STATEWIDE	3,124	3.5%	58,447	64.8%	14,676	16.3%		13,880	15.4%		90,127
CUMBERLAND	460	9.3%	3,635	73.7%	487	9.9%	3	351	7.1%	2	4,933
CURRITUCK	5	2.8%	111	62.7%	28	15.8%	47	33	18.6%	90	177
DARE	12	3.8%	204	64.2%	51	16.0%	50	51	16.0%	58	318
DAVIDSON	30	2.2%	917	68.4%	199	14.8%	31	195	14.5%	39	1,341
DAVIE	7	2.4%	201	67.9%	43	14.5%	25	45	15.2%	47	296
DUPLIN	14	3.3%	259	60.4%	76	17.7%	71	80	18.6%	91	429
DURHAM	112	4.5%	1,539	61.2%	369	14.7%	27	494	19.6%	96	2,514
EDGECOMBE	6	2.6%	145	63.9%	40	17.6%	70	36	15.9%	55	227
FORSYTH	102	2.9%	2,247	64.0%	624	17.8%	72	540	15.4%	49	3,513
FRANKLIN	12	2.2%	250	46.0%	129	23.7%	101	153	28.1%	101	544
GASTON	37	2.8%	904	68.3%	209	15.8%	45	173	13.1%	24	1,323
GATES	4	2.9%	90	64.3%	20	14.3%	22	26	18.6%	89	140
GRAHAM	0	0.0%	82	66.7%	19	15.4%	39	22	17.9%	82	123
GRANVILLE	11	1.8%	370	60.6%	123	20.1%	94	107	17.5%	78	611
GREENE	6	1.8%	209	62.8%	68	20.4%	95	50	15.0%	44	333
GUILFORD	109	3.0%	2,326	64.9%	629	17.6%	68	518	14.5%	38	3,582
HALIFAX	38	4.2%	596	65.6%	137	15.1%	33	138	15.2%	46	909
HARNETT	52	4.3%	806	66.0%	189	15.5%	40	174	14.3%	35	1,221
HAYWOOD	13	3.3%	255	63.9%	77	19.3%	92	54	13.5%	30	399
HENDERSON	26	3.4%	467	61.8%	139	18.4%	83	124	16.4%	66	756
HERTFORD	14	4.1%	232	68.4%	44	13.0%	12	49	14.5%	37	339
HOKE	16	2.2%	438	60.4%	132	18.2%	80	139	19.2%	92	725
HYDE	4	6.1%	50	75.8%	9	13.6%	15	3	4.5%	1	66
IREDELL	38	2.4%	1,048	66.5%	253	16.1%	51	236	15.0%	43	1,575
JACKSON	5	1.9%	165	61.6%	51	19.0%	90	47	17.5%	79	268

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 2 of 4

North Carolina Nutrition and Physical Activity Surveillance System* (NC-NPASS) 2008
Prevalence of Obesity, Overweight, Healthy Weight and Underweight in
Children 2 through 4 years of age, By County, NC-NPASS*, 2008

HEALTH DEPARTMENT	UNDERWEIGHT		HEALTHY WEIGHT		OVERWEIGHT			OBESE			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK ** ORDER	#	%	RANK ** ORDER	#
STATEWIDE	3,124	3.5%	58,447	64.8%	14,676	16.3%		13,880	15.4%		90,127
JOHNSTON	34	2.6%	827	62.6%	222	16.8%	61	239	18.1%	84	1,322
JONES	5	3.2%	109	69.9%	23	14.7%	28	19	12.2%	15	156
LEE	24	3.1%	510	66.6%	114	14.9%	32	118	15.4%	50	766
LENOIR	64	8.9%	491	68.4%	76	10.6%	5	87	12.1%	14	718
LINCOLN	48	7.1%	493	73.3%	68	10.1%	4	64	9.5%	4	673
MACON	3	0.8%	260	70.1%	62	16.7%	59	46	12.4%	16	371
MADISON	11	5.4%	136	66.3%	29	14.1%	21	29	14.1%	34	205
MARTIN	16	4.4%	227	62.9%	56	15.5%	41	62	17.2%	75	361
MCDOWELL	14	2.3%	422	70.0%	89	14.8%	29	78	12.9%	23	603
MECKLENBURG	172	2.7%	3,958	62.0%	1,158	18.1%	79	1,096	17.2%	74	6,384
MITCHELL	5	3.2%	113	72.4%	17	10.9%	7	21	13.5%	28	156
MONTGOMERY	11	2.1%	321	61.1%	99	18.9%	87	94	17.9%	83	525
MOORE	30	3.7%	532	64.8%	130	15.8%	48	129	15.7%	54	821
NASH	48	4.7%	673	66.5%	157	15.5%	42	134	13.2%	26	1,012
NEW HANOVER	29	2.3%	788	63.8%	221	17.9%	73	198	16.0%	57	1,236
NORTHAMPTON	17	4.5%	234	62.6%	51	13.6%	15	72	19.3%	93	374
ONslow	68	2.6%	1,842	69.2%	421	15.8%	46	331	12.4%	17	2,662
ORANGE	52	5.2%	664	66.7%	134	13.5%	13	146	14.7%	40	996
PAMLICO	5	3.8%	90	67.7%	25	18.8%	86	13	9.8%	7	133
PASQUOTANK	5	1.1%	315	66.6%	72	15.2%	36	81	17.1%	73	473
PENDER	13	2.1%	362	58.8%	120	19.5%	93	121	19.6%	95	616
PERQUIMANS	2	1.3%	98	62.8%	33	21.2%	98	23	14.7%	41	156
PERSON	12	3.1%	248	64.8%	62	16.2%	56	61	15.9%	56	383
PITT	40	2.5%	1,012	64.0%	286	18.1%	78	244	15.4%	51	1,582
POLK	3	2.1%	99	68.3%	26	17.9%	74	17	11.7%	11	145

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 3 of 4

North Carolina Nutrition and Physical Activity Surveillance System* (NC-NPASS) 2008
Prevalence of Obesity, Overweight, Healthy Weight and Underweight in
Children 2 through 4 years of age, By County, NC-NPASS*, 2008

HEALTH DEPARTMENT	UNDERWEIGHT		HEALTHY WEIGHT		OVERWEIGHT			OBESE			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK ** ORDER	#	%	RANK ** ORDER	#
STATEWIDE	3,124	3.5%	58,447	64.8%	14,676	16.3%		13,880	15.4%		90,127
RANDOLPH	42	3.0%	900	65.0%	215	15.5%	43	227	16.4%	65	1,384
RICHMOND	81	10.5%	525	68.4%	93	12.1%	10	69	9.0%	3	768
ROBESON	43	2.5%	1,111	63.5%	294	16.8%	62	301	17.2%	76	1,749
ROCKINGHAM	18	2.0%	574	65.1%	135	15.3%	37	155	17.6%	80	882
ROWAN	59	4.6%	881	68.8%	187	14.6%	26	154	12.0%	13	1,281
RUTHERFORD	28	3.5%	539	66.9%	137	17.0%	64	102	12.7%	21	806
SAMPSON	29	2.7%	556	50.9%	225	20.6%	96	282	25.8%	99	1,092
SCOTLAND	19	3.4%	372	66.9%	94	16.9%	63	71	12.8%	22	556
STANLY	12	2.5%	327	67.1%	72	14.8%	30	76	15.6%	52	487
STOKES	12	3.0%	245	60.3%	75	18.5%	85	74	18.2%	87	406
SURRY	20	2.4%	536	64.7%	139	16.8%	60	134	16.2%	61	829
SWAIN	3	1.9%	104	65.8%	30	19.0%	89	21	13.3%	27	158
TRANSYLVANIA	8	3.1%	180	70.0%	37	14.4%	24	32	12.5%	18	257
TYRRELL	0	0.0%	77	67.5%	21	18.4%	84	16	14.0%	32	114
UNION	49	3.4%	934	64.3%	236	16.3%	57	233	16.0%	59	1,452
VANCE	56	7.8%	495	68.7%	84	11.7%	9	86	11.9%	12	721
WAKE	133	2.1%	3,967	63.3%	1,151	18.4%	81	1,015	16.2%	62	6,266
WARREN	31	9.9%	217	69.3%	30	9.6%	2	35	11.2%	8	313
WASHINGTON	25	10.0%	169	67.6%	27	10.8%	6	29	11.6%	10	250
WATAUGA	7	2.4%	216	74.0%	41	14.0%	18	28	9.6%	5	292
WAYNE	40	2.7%	988	66.8%	223	15.1%	34	227	15.4%	48	1,478
WILKES	9	1.4%	423	65.6%	112	17.4%	65	101	15.7%	53	645
WILSON	20	1.9%	661	63.3%	188	18.0%	76	175	16.8%	70	1,044
YADKIN	7	1.7%	274	64.8%	68	16.1%	52	74	17.5%	77	423
YANCEY	5	2.2%	164	71.0%	33	14.3%	22	29	12.6%	20	231
Eastern Band of Cherokee Indians	3	1.3%	117	52.5%	43	19.3%	91	60	26.9%	100	223

** Counties are ranked from 1 to 100, with 1 indicating the lowest (best) rate of overweight or obesity and 100 indicating the worst (highest) rate.